



# Defense Supply Center Philadelphia

## General & Industrial Directorate

# Class IV/VII Products

Lighting



MRO



C4I-Imaging & Info.



Wood Products



Runway Matting



Safety & Rescue



Concertina Wire



Cots



Metals



Corrugated Pallets



Bastions



Drums



Sandbag Filling Machine



HEPP



Containers



Sandbags







## DSCP VISION

*“To be the logistics partner to the warfighter by providing supplies and services world-wide when and where needed; enhanced readiness through focused logistics with a forward presence and world-class workforce.”*

Right Item, Right Time, Right Place,  
Every Time...  
Best Value Solutions For America’s Warfighter

We will do whatever it takes to provide our customers with outstanding, exemplary service and supply support.

The General and Industrial Directorate (G & I) provides supply chain management for facilities maintenance, wood products, fire fighting and marine lifesaving and diving equipment, industrial and metal products, imaging and information. Delivering material from vendors to warehouses, then from warehouses to customers is an expensive and time-consuming process. To deliver material directly to you from our vendors, G & I is incorporating and adopting best commercial practices and creating new and innovative logistical arrangements that bring our customers and vendors into partnership arrangements. Our services provide life cycle support. These arrangements promote various alternatives to solving long-standing supply support problems. For more details on how to get a logistics solution implemented at your activity, please contact us at 1-800-413-6789.

Defense Supply Center Philadelphia  
700 Robbins Avenue  
Philadelphia Pennsylvania 19111-5096  
1-877-352-2255  
DSN: 932-7766  
<http://www.dscp.dla.mil>



## Section A Troop Support Items

### Drums & Cans

The Prime Vendor Program for drums and cans is a single vendor to supply 110 gallon to one-quart containers to all military sites within a very limited lead-time. These drums include salvage, containerizable; powder coated steel, carbon steel, galvanized steel and hazardous material drums. Prime Vendor Program Manager: Jim Singer, email: [James.Singer@dla.mil](mailto:James.Singer@dla.mil)



Point of Contact: Bill Austin, Cans, (215) 737-2877, DSN 444, [William.Austin@dla.mil](mailto:William.Austin@dla.mil)

Point of Contact: Jim Singer, Drums, (215) 737-3965, DSN 444, [James.Singer@dla.mil](mailto:James.Singer@dla.mil)



- 7240-00-089-3827 Can, water, military, plastic, 5-gallon
- 7240-00-177-6154 Spout, can, flexible
- 7240-01-337-5268 Can, gasoline, 5-gallon
- 8110-00-292-9783 Drum, shipping & storage
- 8110-01-101-4055 Drum, steel, ship & storage
- 8110-01-302-4252 Drum, salvage
- 8110-00-824-1444 Drum, fabric, collapsible

- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section A Troop Support Items

### Cots

A complete line of Cots are available through DSCP's Equipment Branch.

Point of Contact: Jim Singer (215) 737-3965, DSN 444, [James.Singer@dal.mil](mailto:James.Singer@dal.mil)



NSN: 7105-00-935-0422  
Cot, Folding, Aluminum Frame



NSN: 7105-01-154-3865  
Cot, Folding, Aluminum Frame, Trufon Cover

### Lighting

A complete line of Lighting is available through DSCP's Lighting Branch.

Point of Contact: Tony Armentani (215) 737-8047, DSN 444, [Anthony.Armentani@dla.mil](mailto:Anthony.Armentani@dla.mil)



6240-00-143-3119 Lamp, Incandescent  
6240-00-966-3831 Lamp, Incandescent, waterproof  
6260-01-074-4229 Light, Chemiluminescent, Green  
6260-01-178-5559 Light, Chemiluminescent, Red  
6260-01-178-5560 Light, Chemiluminescent, Blue  
6260-01-195-9752 Light, Chemiluminescent,  
Infrared  
6260-01-196-0136 Light, Chemiluminescent,  
Yellow  
6260-01-218-5146 Light, Chemiluminescent, White  
6260-01-247-0362 Light, Chemiluminescent, Green  
6230-00-264-8261 Flashlight , Olive Drab



- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section A Troop Support Items

### Spaceheaters

The Defense Supply Center Philadelphia (DSCP), in coordination with the U.S. Army Soldier Systems Center, Natick, MA, is implementing a **Tailored Logistics Support Program (TLSP)** to support Natick's **Family of Space Heater (FOSH)** program. The program comprises four space heaters (Arctic, Medium/H-45, Convective, and Small) and the Thermoelectric fan.

The heaters and fan are used by all services for heat in tents and temporary shelters. The various space heaters were designed to use multiple fuels and to **reduce health and safety hazards** posed by the previous generation of heaters. The latest commercial practices, such as Direct Vendor Delivery – Long Term Contracts (DVD-LTC) are utilized to provide product support and reasonable pricing. The customer ordering is accomplished through the use of MILSTRIP, MIPRS and Credit Card and billing through MILBILLS, MIPRS and Credit Card

A complete line of heating, ventilation, and air conditioning products are available through the MRO Materials Prime Vendor contract.

**Contractor:** Hunter Manufacturing Company

Space Heater Arctic:

NSN: 4520-01-444-2375

Delivery: 5 days after date of order

Surge: 1000 per month within 90 Days of release.

Applicable Tentage: 5 and 10 man Arctic tents



H45 Tent Heater:

NSN and Unit Price - CLIN 0001 - (Liquid Fuel Burning) - NSN 4520-01-329-3451 \*

CLIN 0002 - (Solid Fuel Burning) - NSN 4520-01-354-1191

CLIN 0003 - (Fuel Control Valve) - NSN 4530-01-353-5770

Delivery: ALL CLINS

IPG1 and IPG2 - 14 days ARO

IPG3 and Stock - 60 days ARO

Surge: 1000 per month within 90 Days of release.

Applicable Tentage: General Purpose Tents (Small, Medium and Larger), TEMPER and TOCs.



Point of Contact: Alberta Jones (215) 737-8239, DSN 444, [Alberta.Jones@dla.mil](mailto:Alberta.Jones@dla.mil)

- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section A Troop Support Items

Space Heater Small:


NSN: 4520-01-478-9207

Delivery: 90 days after award of contract. Delivery under each subsequent delivery order is required within 5 days after date of order.

Surge: 1000 units per month within 90 days of release.

Applicable Tentage:

Soldier Crew Tent (NSN 8340-01-359-1481)



Space Heater Convective

NSN: 4520-01-431-8927

Delivery: Contact POC for delivery

Surge: – 500 units per month

Applicable Tentage: Modular Command Post System (MCPS) and similarly sized shelters

Contractor: Aspen Systems, Inc.



ThermoElectric Fan (TEF)

NSN: 4520-01-457-2790

Delivery: 10 days after receipt of order

Surge: 120 each per week

Applicable Tentage: Operates in conjunction with H-45 and SHA and is powered by heat thus saving energy and the number of heaters required.




Point of Contact: Alberta Jones (215)737-8239, DSN 444, [Alberta.Jones@dla.mil](mailto:Alberta.Jones@dla.mil)

- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section A Troop Support Items

### Shelters



Shelter NSN: 8145-01-490-4361, Part Number 50389-932  
20' length, 8' wide, 8' height.



### **Expandable Light Air Mobile Shelter (ELAMS)**

ELAM NSN: 8145-01-494-5922, Part Number 58200-022  
14.8' length, 8' wide, 7.5' wide

Point of Contact: Jim Singer, (215) 737-3965, DSN 444, [James.Singer@dla.mil](mailto:James.Singer@dla.mil)

- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section B Ground Stabilization Products

SPECIAL NOTE: All mats listed have been tested and approved by the U.S. Army Engineer Research and Development Center, Waterways Experiment Station, Vicksburg, MS.

Point of Contact:

Item Manager Debbie Donnelly (215) 737-4089, DSN 444, [Deborah.Donnely@dla.mil](mailto:Deborah.Donnely@dla.mil)  
Technical John Martino (215) 737-3928, DSN 444, [John.Martino@dla.mil](mailto:John.Martino@dla.mil)



### AIRFIELD MAT SYSTEMS

#### Airfield Mat Systems

The following mats have been evaluated for use on airfields supporting both fixed and rotary-wing aircraft. The AM2 and M19 landing mats have been used to provide a structural medium supporting aircraft loads and are classified as medium-duty mats. The Foldable Fiberglass Mat (FFM) is designed as a foreign object damage (FOD) cover for damaged airfield facilities that have been repaired using expedient methods. The primary load support is provided by the crushed stone fill material, and the (FFM) mat provides a covering system for the prevention of FOD damage.

#### AM2 Landing Mat - NSN: 5680-01-176-9076

This is a medium-duty, aluminum, landing mat capable of supporting both fighter and cargo aircraft operations. The USAF, USN, and USMC use this mat for expedient airfield construction. This mat should be placed in a brickwork pattern to offset joints. See FM 5-430 (Draft) and NAVAIR 51-60A-1.

Specifications: 16 Panels (2 ft x 12 ft)  
4 Panels (2 ft x 6 ft)  
Pallet Weight: 2,880 lbs  
Pallet Area: 432 ft<sup>2</sup>



#### M19 Landing Mat

***Not managed by S9I and no longer procurable. The approved substitute for this mat is the AM2 Landing Mat. The Army still holds internal stock of the M19 mat; contact Rock Island for additional information.***

This is a medium-duty, aluminum, landing mat capable of supporting both fighter and cargo aircraft operations. This mat should be placed in a brickwork pattern to offset joints. See FM 5-430 (Draft) NAVAIR 51-60A-1.

Specifications: 32 Panels (4 ft x 4 ft)  
Pallet Weight: 2,480 lbs  
Pallet Area: 534 ft<sup>2</sup>



- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section B Ground Stabilization Products

### Operational Foldable Fiberglass Mat (FFM) - NSN: 5680-01-368-9032

This is a lightweight; fiberglass mat designed as a FOD cover for surfacing repaired craters and damaged pavement facilities. This mat provides a surface over the primary load-bearing system consisting of a crushed limestone fill. The FFM is bolted to an existing surface. This collapsible mat system consists of nine six feet wide by 30-foot long panels hinged together in an accordion fashion. (Stored configuration 6' x 30' x 12") requiring forklift for emplacement.

Specifications: 2 Panels (54 ft x 30 ft)  
2 Joining panels (24 ft x 2 ft)  
2 Joining panels (30 ft x 2 ft)  
Pallet Area: 3,240 ft<sup>2</sup>  
Nominal Mat Thickness: 0.20 in.  
Weight: 3000 lbs.

### Training Foldable Fiberglass Mat (FFM) – NSN: 5680-01-354-8331

Consists of 2 panels (30 ft x 54 ft), 2 joining panels (30 ft x 2 ft) and 2 joining panels (24 ft x 2 ft). Training mats include lifting bushings to facilitate training.

### Training Foldable Fiberglass Mat (FFM) – NSN: 5680-01-368-9038

Consists of 1 panel (30 ft x 54 ft). Training mat includes lifting bushings to facilitate training.



### **STABILIZATION SYSTEMS**

#### Roadway Mechanical Stabilization Systems

The Mechanical Stabilization Systems have been evaluated for use as roadways supporting wheeled military truck traffic. These systems can be divided into two categories based upon their suitability for different sub grade soil conditions. The first group of systems has been evaluated for use over sand sub grades and soils with California Bearing Ratio (CBR) strength greater than 4 percent. These include the Geocell Cellular Confinement System, the GridTech Hexagonal Mat System, and the Fiberglass Reinforced Mat (FRM) System. The second group of systems has been evaluated for the construction of roads over soft soils with CBR strengths less than 4 percent. These include the DURA-BASE Mat System, Geotextiles, and Geogrids.

- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section B Ground Stabilization Products


General information regarding California Bearing Ratio (CBR): This ratio measures soil strength. A CBR of 4 and above is stiff enough that you can walk on the ground without leaving a significant heel print. A CBR of less than 4, your heel leaves a sizable imprint. A CBR of 1.5 or less, you sink in mud up to your ankles. The CBR is the standard used in the pavement design of all military roads/airfields and is also used by the FAA for commercial airfields.

### Sands and Soils with CBR Greater than 4%

**Geocell Cellular Confinement System** (Closed Cell) - NSN: 5680-01-198-7955  
(Perforated Cell) - NSN: 5680-01-501-1032

Geocell is a three dimensional honeycomb-like structure that stabilizes fill material by confinement. This product has been evaluated extensively for use in sands and other soils. The Geocell collapses into lightweight, compact bundles for easy transport and is expanded during installation. This item is available thru DLA depot.

Specifications: Collapsed Panel Size: 4 in. x 8 in. x 11 ft  
Expanded Panel Size: 8 in. x 8 ft x 20 ft  
Expanded Panel Area: 160 square feet  
Weight: 113 lbs each  
Typical pallet holds 10 each, for a total weight including wood pallet: 1165 lbs.



**Gridtech Hexagonal Mats:** Super Aluminum - NSN: 5675-01-475-1056  
All-Round Plastic - NSN: 5675-01-475-0961  
GT Special Plastic - NSN: 5675-01-475-0947

These interlocking hexagonal mats are manufactured in three models: Super Aluminum, All-Round Plastic, and GT Special Plastic. Both the Super Aluminum and the All-Round Plastic models have been evaluated under military truck traffic. The GT Special Plastic model has not been evaluated but may provide similar performance to the All-Round Plastic model.

Specifications: Hexagonal Interlocking Panels  
Coverage Area: 2.9 ft<sup>2</sup>/panel  
Weight: Plastic 7.05 lb/panel  
Aluminum 21.2 lb/panel



**Glass Reinforced Mat** - NSN: 5675-01-476-8989

The fiberglass reinforced mat (FRM) system is a strong, lightweight system capable of being carried by two men. The mat consists of a polyester resin reinforced with 4 plies of woven fiberglass. The mat is connected together using 6 aluminum connector pins to form various configurations.

- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section B Ground Stabilization Products

THE ARMY CORP OF ENGINEERS HAVE APPROVED THIS MULTI-PURPOSE MAT SYSTEM FOR HELIPADS, WITH THE FOLLOWING EXCEPTIONS. THE CH47 IS THE MAXIMUM SIZE ROTARY AIRCRAFT APPROVED. IT IS ALSO CRITICAL THAT THE GROUND SOIL BE AT LEAST CBR4 OR GREATER AND THE PERIMETER OF THE HELIPAD ANCHORED EVERY 6 FEET. IT MAY ALSO BE NECESSARY TO USE GEOTEXTILE, NSN 5675-01-471-2674 FOR CERTAIN APPLICATIONS.

Specifications: Panel Size: 6ft/8in x 6ft/8in panels  
Usable Surface Area: 36 ft<sup>2</sup>/panel  
Panel Thickness: 0.35 in.  
Weight: 115 lb/panel  
THIS NSN INCLUDES: 6 Pin Connectors  
and 1 Duck Bill Ground Anchor.



### Wet or Soft Soils with CBR Less than 4%

*\*A Geotextile (NSN: 5675-01-471-2674) should be placed between these systems and the natural sub grade soil to reduce mudflow and the degradation of the system.*

**Dura-Base Mat** - NSN: 5675-01-471-2683

The DURA-BASE Interlocking Mat System is made of High Density Polyethylene (HDPE) and has a service life expectancy of 15 years. The system is used in commercial oil fields and can be used for building roads over very soft soils (CBR < 1%). Two layers of mat are required for road construction over very soft soils.

Specifications: Panel Size: 4.5 in. x 8 ft x 14 ft  
Half Panel: 4.5 in. x 8 ft x 7.5 ft  
Full Panel Weight: 1,050 lb.

NSN: Full Panel 8-ft x 14-ft 5675-01-471-2683  
Half Panel 8-ft x 7.5-ft 5675-01-476-7335  
Locking Pin 5675-01-476-7336  
Cover Pin 5675-01-476-7338  
Spike 5675-01-476-7339  
Tool Kit 5675-01-476-7345





- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section B Ground Stabilization Products

Geotextile - NSN: 5675-01-471-2674

The use of a medium weight Geotextile is recommended for use over soft soils to provide a separation layer between the undesirable “mud” and granular fill. The design of military roads using Geotextiles is described in TM 5-818-8 and FM 5-430 (Draft).


Specifications: Roll Size - 14 ft-wide and 328 ft long



Geogrid - NSN: 5675-01-482-2691

The use of a Geogrid is recommended for use over soft soils to provide lateral reinforcement of the granular fill. The Geogrid is used in conjunction with a Geotextile. The Geotextile separates the granular fill from the “mud” while the Geogrid confines the granular material. The confinement provided by the Geogrid improves the compaction and strength of the granular layer. The use of a Geogrid for reinforcement permits a reduction in the thickness of the granular fill material, which can greatly reduce the logistics requirements. The design of military roads using Geogrids is described in FM 5-430 (Draft).

Specifications: Roll Size - 10-13 ft wide and 164 ft long



### *\*Discontinued Mat Systems\**

**Winged Aircraft Mat, M8A1 Lightweight Perforated Steel Landing Mat  
(\* Also know as “Steel Planking”)**

NSN: 5680-00-782-5577 ➔ Replacement mat: NSN: 5680-01-176-9076

**Roadway Mat, “Mo-Mat“ Fiberglass Reinforced Mat which is rolled out and bolted together for temporary roadways.**

Mo-Mat is no longer manufactured. ➔ Replacement mat: Any approved roadway mat listed in this brochure.

### Point of Contact:

Item Manager, Debbie Donnelly, (215) 737-4089, DSN 444, [Deborah.Donnelly@dla.mil](mailto:Deborah.Donnelly@dla.mil)  
Technical, John Martino, (215) 737-3928, DSN 444, [John.Martino@dla.mil](mailto:John.Martino@dla.mil)

- NSN’s listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section C Barrier Materials

### Barricade



The Concertainer Defense Wall is a rapidly built solid blast barrier wall built from heavy-duty galvanized wire mesh lined with a geo-textile fabric designed as a substitute for sandbags. The wall can be filled with any available material such as sand, mud, soil, rock using minimal manpower and a mechanical digger. The wall has been tested using small arms fire, machine guns, mortars and 30 mm cannon. It will also protect against indirect artillery fire up to 155 mm caliber. Uses include aircraft and headquarters location revetments, bunkers, observation posts, border crossings and fuel installations.



5680-99-835-7866 Wall, Protective, Rapid Assembly, (Hesco Bastion Ltd)  
5680-99-169-0183 Base, Aircraft Revetment, Rapid, (Hesco Bastion Ltd)  
5680-99-001-9394 Protective, Rapid Assembly (Hesco Bastion Ltd)

Point of Contact:

Tom Lauersen, Program Mgr., (215) 737-8003, DSN 444, [Thomas.Lauersen@dla.mil](mailto:Thomas.Lauersen@dla.mil)  
Debbie Donnelly, Item Mgr., (215) 737-4089, DSN 444, [Deborah.Donnelly@dla.mil](mailto:Deborah.Donnelly@dla.mil)

- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

Section C  
Barrier Materials  
Fencing Materials



- 5660-00-270-1588 Post, Fence, Metal.  
Steel 24 in. (size 5)
- 5660-00-270-1589 Post, Fence, Metal.  
Steel 32 in. (size 4)
- 5660-00-270-1587 Post, Fence, Metal.  
Steel 60 in. (size 3)
- 5660-00-270-1510 Post, Fence, Metal.  
Steel 72 in. (size 2)
- 5660-00-262-9914 Post, Fence, Metal.  
Steel 96 in. (size 1)
- 5660-00-224-8663 Barbed Wire, Steel  
12.5 Gauge
- 5660-00-921-5516 Barbed, Tape, Concertina  
(1 roll = 50' erected length)
- 5660-01-457-9743 Barbed Tape,  
Concertina
- 5660-01-309-4223 Barbed Wire, 15.5  
Steel Gauge
- 5660-00-596-2384 Barbed Wire, Steel  
12.5 Gauge



Point of Contact:

Tom Lauersen, Program Mgr., (215) 737-8003, DSN 444, [Thomas.Lauersen@dla.mil](mailto:Thomas.Lauersen@dla.mil)  
Debbie Donnelly, Item Mgr., (215) 737-4089, DSN 444, [Deborah.Donnelly@dla.mil](mailto:Deborah.Donnelly@dla.mil)

- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section C Barrier Materials



### Military Force Protection Barbed Tape / Razor Ribbon®

Special Note: All styles and configurations have been field tested by State and Federal Agencies for a minimum of 20 years.

Military Tactical Barrier (Wire Reinforced)

Uses: Military Battlefield and Training Barrier

NSN	Description	Dia.	Coil loops	Strip material	Core Wire	Coil Spacing	Yield	Packing
5660-00-921-5516	Concertina coil	38"	56	GA	GA	21" 15"	50' 35'	1/40




### BTC Barbed Tape Concertina (Short Barb)

Single coil wire reinforced concertinas, 38" in diameter are fabricated from 0.020" thick ASTM A653 (GA) galvanized steel strip. Strip is clinched around a galvanized steel core wire. Each roll consists of 56 coil loops with pairs of coil loops alternately clipped together at 5 locations around the circumference. Each coil extends to 50' when deployed at 21" coil spacing. Two opposing handles at each end are attached to the end coils. For additional information refer to commercial item description A-A-555-22A

### Helical (Wire Reinforced)


Uses: Warehousing, Manufacturing, Parking Lots, Storage, and other Low Level Security Applications

NSN	Description	Dia.	Coil Loops	Strip Matl	Core wire	Coil spacing	Yield	Pkg.	ASTM F 1910 Item #
5660-01-457-9757	Helical Single Coil	18"	33	SS	GA	18"	50'	5/box	#2
5660-01-149-6123	Helical Single Coil	18"	33	GA	GA	18"	50'	5/box	#2
5660-01-457-9828	Helical Single Coil	18"	33	SS	SS	18"	50'	5/box	#1
5660-01-457-9842	Helical Single Coil	24"	33	SS	GA	18"	50'	5/box	#6
5660-01-495-6777	Helical Single Coil	24"	33	GA	GA	18"	50'	5/box	#6
5660-01-457-9843	Helical Single Coil	24"	33	SS	SS	18"	50'	5/box	#5



- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section C Barrier Materials





### Helical Barbed Tape (long Barb)

Single coil wire reinforced 18" and 24" in diameter are fabricated from 0.025" thick AISI 430 (SS) stainless steel or ASTM A 653 (GS) galvanized steel. Each roll consists of 33 coil loops with barb clusters 4" o.c. along the spiral turns. Wire reinforced helical coils are available in combinations of SS or GS strip clinched 230° around 0.098" diameter SS or GA core wire.

### Concertina (Wire Reinforced)

Uses: Low Security Confinement and Detention Applications, Low Level Utilities Companies and Airport Perimeters, etc.

NSN	Description	Dia	Coil Loops	Strip Matl	Core Wire	Clips	Coil Spacing	Yield	Pkg.	ASTM F 1910 Item #
5660-01-457-9847	Single Coil Concertina	18"	31	SS	GA	3	12"	15'	4/Box	#8
5660-01-495-6178	Single Coil Concertina	18"	31	GA	GA	3	12"	15'	4/Box	#8
5660-01-457-9849	Single Coil Concertina	18"	31	SS	SS	3	12"	15'	4/Box	#9
5660-01-457-9850	Single Coil Concertina	24"	31	GA	GA	3	16"	20'	5/Box	#10
5660-01-149-6284	Single Coil Concertina	24"	31	GA	GA	3	16"	20'	5/Box	#10
5660-01-457-9852	Single Coil Concertina	24"	31	SS	SS	3	16"	20'	5/Box	#11
5660-01-495-9534	Single Coil Concertina	30"	51	SS	SS	5	12"	52'	4/Box	#15
5660-01-495-9566	Single Coil Concertina	30"	51	SS	GA	5	12"	25'	4/Box	#15



### Concertina Barbed Tape (long Barb)

Single coil wire reinforced concertinas 18" in diameter are fabricated from 0.025" thick AISI 430 (SS) stainless steel or ASTM A653 (GA) galvanized steel. Each roll consists of 31 coil loops with pairs of loops alternately clipped together at 3 locations around the circumference. Clusters of 4 needle sharp barbs are located 4" o.c. along the spiral turns. Concertina rolls are available in combinations of SS or GA., tape and core wire. Barbed tape is wrapped 230° around 0.098" diameter SS or GA core wire.


- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section C Barrier Materials

### Hook Barb (Wire Reinforced)

Confinement Applications, Nuclear Generating Plants, Petroleum/ Chemical Storage, Refineries, Sensitive Areas at Airports and Nuclear Weapons Storage, etc.

NSN	Description	Dia	Coil Loops	Strip Matl	Core wire	Clips	Coil spacing	Yield	Pkg.
5660-01-495-6189	Detainer single coil concertina	19"	31	SS	GA	3	12"	15"	4/Box
5660-01-495-6161	Detainer single coil concertina	19"	31	GA	GA	3	12"	15'	4/Box
5660-01-495-6200	Detainer single coil concertina	19"	31	SS	SS	3	12"	15'	4/Box
5660-01-494-0228	Detainer single coil concertina	25"	31	SS	GA	3	16'	20'	5/Box
5660-01-494-0218	Detainer single coil concertina	25"	31	SS	SS	3	16'	20,	5/Box
5660-01-495-9585	Detainer single coil concertina	31"	51	SS	GA	5	12"	25'	4/Box
5660-01-495-9581	Single Coil Concertina	31"	51	SS	SS	5	12"	25'	4/Box



### Concertina Barbed Tape (Long Barb)

Single coil wire reinforced concertinas 24" in diameter are fabricated from 0.025" thick AISI 430 (SS) stainless steel or ASTM A653 (GA) galvanized steel. Each roll consists of 31 coil loops with pair of loops alternately clipped together at 3 locations around the circumference. Clusters of four needle sharp barbs are located 4" o.c. along the spiral turns. Concertina coils are available in combinations of SS or GA., tape and core wire. Barbed tape is wrapped 230° around 0.098" diameter SS or GA core wire.



- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section C Barrier Materials

### Barbed Tape (Non-Reinforced)

Confinement Applications, Nuclear Generating Plants, Petroleum/ Chemical Storage, Refineries, Sensitive Areas at Airports and Nuclear Weapons Storage, etc.

NSN	Description	Dia	Coil Loops	Strip Matl	Cable	welds	Coil spacing	Yield	Pkg.	ASTM F 1910 Item #
5660-01-495-6363	Single Coil Concertina Rapid Deployment	30"	101	SS	1	5	12"	50'	7/Box	#25



### Concertina Barbed Tape (long Barb)



Single coil non-reinforced concertinas 30" in diameter are fabricated from 0.025" thick AISI 301 SS (Stainless Steel). Each roll consists of 101 coil loops with pairs of loops alternately spot welded together at 5 locations around the circumference. Cluster of 4 needle sharp barbs are located 4" o.c. along the spiral turns. Non-reinforced concertinas are only available in stainless steel.

### Rapid Deployment Unit

#### Hatbox Rapid Dispensing and Recovery Unit

Uses: Riot Control, Crowd Control, (Impedes Movement On Stairways, Corridors, Sidewalks and Streets, Etc.) Where Used: Embassies, Jails, Prisons, INS Facilities, Courthouses, and Police Departments, etc.

NSN	Description	Dia	Coil Loops	Strip Matl	Cable	welds	Yield	Pkg.
5660-01-495-6412	Single Coil Concertina Rapid Deployment	30"	101	SS	1	5	50'	One/ Container



- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section C Barrier Materials

### Hatbox Specification

Riot/Crowd Control Unit Model #RD30-50

Rapid dispensing anti-personnel barrier provides 50' (15m) of 30" (762mm) diameter barbed tape fabricated from 0.025" (0.64mm) thick 301 authentic stainless steel strip hardened to Rockwell (30N) 50-55. Clusters of four needle sharp barbs shall be punched 4" (102mm) on center. Barb cluster width shall be 1.210" (31mm).

Barbs shall be alternately offset from the tape's centerline 0.15" (3.8mm-11mm). Each coil loop shall contain (24) ± 1 barb cluster. Adjacent pair of coil loops shall be spot welded together at (5) points around the

circumference in such a way to prevent one coil slipping passed the other. Weld attachments shall be capable of surviving a minimum pure tensile load of 400# (18kg).

One or more jacketed stainless steel wire rope 7x7 strand 3/64" minimum diameter shall be attached to each pair of coil loops along the length of the obstacle. Wire rope shall fix the concertina openings a 12' ± 2" (305mm ± 51mm). 101 coil loops shall cover 50' ± 2" (15.2m ± 51mm). 16 gauge twist ties, gloves, stakes and tie tool furnished with each unit housed in a fiber case canister (Hatbox). Designed for military and police use in varying climates and terrain conditions. This unit is rapidly dispensed and quickly recovered for repeated reuse, Developed for interior and exterior applications, this unit is deployed in hallways, stairwells, entrances and exit areas, etc.



Point of Contact:

Tom Lauersen, Program Mgr., (215) 737-8003, DSN 444, [Thomas.Lauersen@dla.mil](mailto:Thomas.Lauersen@dla.mil)  
Debbie Donnelly, Item Mgr., (215) 737-4089, DSN 444, [Deborah.Donnely@dla.mil](mailto:Deborah.Donnely@dla.mil)

### Sandbags

- |                  |  |
|------------------|--|
| 8105-00-142-9345 | Bag, Sand,<br>Polypropylene,<br>Olive Drab |
| 8105-00-782-2709 | Bag, Sand Cloth,<br>Any Color              |
| 8105-00-935-7101 | Bag, Sand Acrylic,<br>Olive Drab           |
| 8105-01-336-6163 | Bag, Sand<br>Polypropylene,<br>Tan         |
| 8105-01-331-3704 | Bag, Sand Acrylic                          |



Point of Contact: Tom Lauersen, (215) 737-8003, DSN 444, [Thomas.Lauersen@dla.mil](mailto:Thomas.Lauersen@dla.mil)  
Debbie Donnelly, Item Mgr., (215) 737-4089, DSN 444, [Deborah.Donnely@dla.mil](mailto:Deborah.Donnely@dla.mil)

- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.


Section D  
Building Materials

**Maintenance, Repairs and Operations (MRO)**

The Maintenance, Repairs and Operations (MRO) Materials Prime Vendor Program supplies commercial products via regional prime vendor support for facilities maintenance, public works, civil engineering, family housing, and base supply customers around the world. Using integrated suppliers and proven commercial business practices, our customers can get their facilities related requirements, including, but not limited to, **electrical, plumbing, heating and air conditioning supplies, lumber, concrete, roofing materials, paint, small tools, assorted hardware and building materials** from a single supplier. This program provides customers with one-stop shopping for their maintenance, construction, and operational requirements. We can also **install materials** ordered on a limited basis. Items can be ordered by part number or NSN.



Point of Contract: Al Fisher, 215-737-4644, DSN: 444-4644, [Alfred.C.Fisher@dla.mil](mailto:Alfred.C.Fisher@dla.mil),  
Or call 215-737-5MRO (5676) to be referred to a Specialist assigned to your geographic area.



- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section D Building Materials

### Maintenance, Repairs and Operations (MRO) Services

The Maintenance, Repairs and Operations (MRO) Services Prime Vendor Program, a new DSCP initiative, provides a contracting vehicle which allows base facility maintenance managers to acquire services for facilities maintenance, repair and operations of Government bases and installations on an as-needed basis. Contracts are currently awarded in the Northeast Region. The Southeast region should be awarded in July 03. The types of services to be acquired include, but are not limited to: preventive maintenance, alterations, repair and renovation of buildings and associated equipment as well as ancillary services such as lawn care, window cleaning, etc. A sample of areas targeted include: HVAC, building repairs, painting, heating, locksmith services, electrical, roofing, plumbing, fire alarms, elevator maintenance, facility operations, paving, pipefitting, air conditioning and glasswork.



Point of Contact: Doug Steinmetz, (215) 737-7940, DSN 444, [Douglas.Steinmetz@dla.mil](mailto:Douglas.Steinmetz@dla.mil)



- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section D Building Materials

### Plumbing

A complete line of plumbing products are available through the MRO Materials Prime Vendor contract or through the traditional DLA Supply System.

Point of Contact: Al Fisher, Prime Vendor, (215) 737-4644, DSN 444, [Alfred.Fisher@dla.mil](mailto:Alfred.Fisher@dla.mil)  
Marcia DeGraphenreid, FSC 4510, (215) 737-0630, DSN 444,

[Marcia.DeGraphenreid@dla.mil](mailto:Marcia.DeGraphenreid@dla.mil)



### Tools

A complete line of tools are available through the MRO Materials Prime Vendor contract. Customer orders specific brands/models they require.

Point of Contact: Al Fisher, (215) 737-4644, DSN 444, [Alfred.Fisher@dla.mil](mailto:Alfred.Fisher@dla.mil)



- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

Section D  
Building Materials


Roofing



HVAC



Concrete



A complete line of **roofing materials, concrete, heating, ventilation, and air conditioning** products are available through the MRO Materials Prime Vendor contract.

Point of Contact: Al Fisher, (215) 737- 4644, DSN 444, [Alfred.Fisher@dla.mil](mailto:Alfred.Fisher@dla.mil)

- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

Section D  
Building Materials  
Wood Products



The Wood Products Program provides a complete line of wood products, such as bulk lumber, softwoods, and hardwoods, plywood and veneer, fire retardant items, millwork, poles and pilings, cross arms and ties. You can place orders directly with a vendor using a World Wide Web based ordering system. Shipments are sent directly from the vendor to your designated delivery site. How do we do it? We have developed Prime Vendor relationships with suppliers in specific regions. These partnerships use the commercial distribution system already in place within those regions. Features include: reduced lead times, just-in-time deliveries, total asset-in-transit visibility, reduced inventories, face to face interaction with suppliers, improved customer support.

Point of Contact: Tom Grace, (215) 737-7164, DSN 444, [Thomas.Grace@dla.mil](mailto:Thomas.Grace@dla.mil)

<u>NSN's</u>	<u>Description</u>
5510-01-433-1145	1 x 4 x 16 Lumber, Common
5510-01-433-1183	1 x 8 x 16 Lumber, Common
5510-01-433-1371	2 x 6 x 16 Lumber #2
5510-01-433-3930	2 x 12 x 16 Lumber #2
5510-01-433-1199	1 x 10 x 16 Lumber, #2 Common
5510-01-129-7749	3/8" Plywood Sheet, A-C Exterior
5530-00-129-7833	3/4" Plywood Sheet, A-C Exterior
5510-01-433-1244	2 x 4 x 16 Lumber, #2 Common



- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section D Building Materials

### Metals

The Metals and Metal Products Prime Vendor Program provides a variety of quality metals and metal products to our customers when and where they need them. The Program supplies ferrous, non-ferrous, and specialty metals in various types and forms. The Prime Vendor Program features Internet on-line catalogs & ordering capabilities, competitive pricing, scrap and salvage removal services, volume discounts, as well as various services such as cutting, shearing, grinding, etc.



### Metal Types

Alloys	Inconel
Aluminum	Lead
Brass	Magnesium
Carbon Steel	Monel
Cast Iron	Nickel-Copper
Copper	Stainless Steel
Copper-Nickel	Titanium

### Metal Forms

Angle	Grating
Bar	Pipe
Beams	Plate
Channels	Rod
Expanded Metals	Sheet
Extrusions	Square Bar
Foil	Strip
Forgings	Tube

Point of Contact:

Tom Grace, Prime Vendor, (215) 737-7164, DSN 444, [Thomas.Grace@dla.mil](mailto:Thomas.Grace@dla.mil)

Bill Austin, FSC 9500's, (215) 737-2877, DSN 444, [William.Austin@dla.mil](mailto:William.Austin@dla.mil)

- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section D Building Materials

### Lighting

We offer a wide variety of commercial lighting (lamps, bulbs, ballast and fixtures) and provide weapon system lighting products for all of our DOD customers.

We offer a full range of "Energy Efficient Products" such as: compact fluorescent, high-pressure sodium, metal halide and low mercury fluorescent lamps that meet current energy guidelines and environmental concerns. Our "Lighting Team" working under the direction of our Program Manager Mr. Tony Armentani, [lighting@dscp.dla.mil](mailto:lighting@dscp.dla.mil) 215-737-8047, stands ready to serve our customers and provide lighting solutions for the 21st Century.



#### Vehicle Light Fixtures

6220-00-756-5764 Spotlight  
6220-01-193-1970 Headlight  
6220-01-306-8203 Floodlight, Electric  
6220-01-338-2056 Lamp Unit, Vehicular

#### Electrical Portable, Hand Lighting Equipment

6230-00-264-8261 Flashlight, Olive Drab  
6230-00-279-5417 Flashlight  
6230-00-500-0523 Electric Lantern, 6VDC  
6230-00-643-3486 Flashlight, 3 cell

#### Electrical Lighting

6220-01-217-8316 Tow Light Assembly  
6230-01-158-8019 Floodlight Assembly  
6240-00-019-3093 Lamp Incandescent  
6240-00-966-3831 Lamp Incandescent, Waterproof  
6260-00-270-4060 Mantle Illuminating  
6260-01-074-4229 Light, Chemiluminescent, Green



Point of Contact: Tony Armentani, (215) 737-8047, DSN 444, [Anthony.Armentani@dlamil](mailto:Anthony.Armentani@dlamil)

- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section E Move and Storage

### Containers

The Container Group manages a variety of storage related equipment including: Prefabricated and Portable Buildings, Storage Tanks, Misc Prefabricated Structures, Drums and Cans, Bottles and Jars, Bags and Sacks, Reels and Spools, Packing Bulk Materials. We employ a variety of acquisition methods to meet the unique shipping and storage needs of the military.

For more information on the Containers Program contact Jim Singer, [James.Singer@dla.mil](mailto:James.Singer@dla.mil)



### **Specialized Shipping & Storage Container**

The containers are certified for airlift and helo operations and are weather proof and sand proof. They are customized to meet individual needs. Customizing includes racks and shelving, kits, dehumidifiers, and accessory configuration kits.

A new feature with the contracts is Vendor Managed Inventory (VMI). This groundbreaking partnership between DSCP and vendors will enhance DSCP's quick response to the customer.

Point of contact is Jim Singer, (215) 737-3965, DSN 444, [James.Singer@dla.mil](mailto:James.Singer@dla.mil)

8145-01-465-3621	ISU-90 Gen X Container, Green 108' X 88' X 90'
8145-01-467-4049	ISU-90 Gen X Container, Tan W/165 108' X 88' X90'
8145-01-384-9260	Mobility Caster Sets 22' X 31' X 31'
8145-01-422-9695	ISU-90 "Old" Two Way Container, Tan 108' X 88' X90'

### **20' and 40' Containers**

20' and 40' dry freight, steel cargo containers, either new or refurbished, are now available. These containers conform to the standard industry sizes for your shipping and storage needs. They are forklift tested to 1600 pounds per 44 square inches. These come standard with two doors that open at one end. Containers can be customized to meet your specific requirements.

8145-01-463-8553	20' New Container
8145-01-463-3177	20' Refurbished Container
8145-01-463-8554	40' New Container
8145-01-463-3182	40' Refurbished Container



- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section E Move and Storage



### Transport and Storage Case Set

This case set consists of two cases for the shipment and storage of miscellaneous small parts. The contract includes direct vendor delivery to the customer.

8115-00-663-213

Transport and Storage Case Set

Point of Contact: Jim Singer, (215) 737-3965, DSN 444 [James.Singer@dla.mil](mailto:James.Singer@dla.mil)

### Shelving, Stacking Systems, Cabinets

We have three long-term contracts in place to support various stacking systems requirements. In addition, we have the capability to provide hazardous material stacking systems. Pre-negotiated benefits result in significant price discounts; choice of MILSTRIP or MIPR ordering; free estimates; quick order placement; and orders tailored to customer specifications, including custom options, hydraulics, and installation configurations.

Point of Contact: Mark Scott, (215) 737-7531, DSN 444, [Mark.Scott@dla.mil](mailto:Mark.Scott@dla.mil)



- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section E Move and Storage

### Pallets

DSCP has established a partnership with three pallet manufacturers to provide pallets and pallet management to our customers. These companies use the most advanced technology in meeting their customers' needs. Pallet management includes the furnishing of new wood pallets, repaired wood pallets, and pallet scrap wood removal. We are a member of the DoD Joint Working Group on Pallet Standardization. All pallets are EU compliant. The contracts allow for the addition of items, including locally used items. Pricing for new items can be completed within twenty-four hours. The program was implemented at the Defense Distribution Center, New Cumberland, PA and has been rolled out to provide support to the entire US including Hawaii and Alaska.

Points of Contact: Mark Scott, (215) 737-7531, DSN 444, [Mark.Scott@dla.mil](mailto:Mark.Scott@dla.mil)



3990-00-935-7960 - 40 x 48", 4 way entry, stringer winged pallet, 1,500 lb capacity

3990-01-041-8803 - 40 x 48", 4 way entry, stringer winged pallet, 3,000 lb capacity

3990-01-018-6686 40 x 48", 4 way entry, block winged pallet, 4,000 lb capacity

### Conveyors, Tie-downs, Pallet Covers, V-Belts, and Ramps

Numerous Long Term Contracts are in place to support a variety of material handling products. Contracts provide brand name preference, direct vendor delivery, and reduced delivery times.

Conveyors 3910-00-260-0171

Tie-Downs 3990-01-449-0971

Ramps 3990-01-439-7846

Pallet Covers 3990-00-930-1480



Point of Contact: Mark Scott, (215) 737-7531, DSN 444, [Mark.Scott@dla.mil](mailto:Mark.Scott@dla.mil)

- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section E Move and Storage

### Material Handling Equipment

The Equipment Division at DSCP has established a partnership with a Prime Vendor to provide parts support for Material Handling Equipment, including Construction Equipment, Lifting Devices (e.g. Forklifts), and a variety of Material Handling Products.

The prime vendor uses a vendor managed distribution system; one vendor fulfills all requirements. Agreements have been established to support vehicle OEM's such as NAPA, Hyster, Yale, John Deere, Oshkosh, Emerson, and Lift King to name a few. New partnerships are always being developed to broaden their range of support. These agreements are the tools that provide quick delivery, competitive prices, and direct ordering.



This contract covers a wide variety of end items and repair and replacement parts for MHE items; including smaller lift trucks, hoists, block and tackle units, cranes and crane parts, spreadloader equipment and a variety of items used to "move and store" items and to handle materials.



Point of Contact: Mark Scott, (215) 737-7531, DSN 444, [Mark.Scott@dla.mil](mailto:Mark.Scott@dla.mil)



- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section F Miscellaneous Items Heavy Equipment

The Heavy Equipment Procurement Program features multi-award commercial requirement contracts and long-term agreements with many major suppliers of heavy equipment in the United States to support most types of heavy equipment. This equipment is available with the full range of manufacturer options and acquisitions made through the program that are quick and simple. While the majority of our procurements are for categories of material handling/construction equipment, firefighting and crash/rescue vehicles, DSCP also buys small unit showers, building machines, hazardous material storage buildings and a wide range of other environmental products.

As a result of the “most favored customer” status we enjoy with many of our manufacturers and vendors, we are able to offer discounted prices, excellent delivery options and extended warranties on select equipment.



Visit our website and searchable database at: [www.dscp.dla.mil/gi/general/hepsrch4.htm](http://www.dscp.dla.mil/gi/general/hepsrch4.htm)  
Point of Contact: Pat Lerman, (215) 737-7265, DSN 444, [Patricia.Lerman@dlamil](mailto:Patricia.Lerman@dlamil)



- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section F Miscellaneous Items

### Rope and Rigging

The rope and rigging program provides a variety of hoisting and restraining equipment required for the movement of mission critical material. Whether a Naval fleet deployment or Military Airlift operation, the rope and rigging team has the right equipment for the mission including: blocks and tackle, rigging and slings, fiber rope, cordage, and twine. One segment of the rope and rigging commodity available on long-



term direct delivery electronic contract is Aramid Rope. This strong flexible, durable rope is manufactured and stocked by DSCP Qualified Suppliers only. DSCP also provides a wide variety of construction related spare parts and small equipment to the field. Just a few examples are: cable reeling machines, grease guns, oil and fuel nozzles, nozzle adapter assemblies, truck and tractor attachments, crane shovels, blades, scoops, surface ripping teeth and cutting edges. Not sure what you want? Contact us and we'll help identify your needs.

- 4020-01-338-7003 Aramid fibrous rope, 120 MM
- 4020-01-338-7006 Aramid fibrous rope, 94 MM
- 4020-01-338-7007 Aramid fibrous rope 136 MM
- 4020-01-338-7008 Aramid fibrous rope 160 MM
- 4020-01-338-7499 Aramid fibrous rope 89 MM
- 4020-01-339-1571 Aramid fibrous rope 105 MM
- 4020-01-339-5150 Aramid fibrous rope 148 MM
- 4020-01-267-6226 Aramid fibrous rope



Point of Contact: Susan Paul, (215) 737-6075, DSN 444, [Susan.Paul@dla.mil](mailto:Susan.Paul@dla.mil)

- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section F Miscellaneous Items

### Fire & Emergency Equipment

Aircraft fire fighting equipment, PPEs, SCBAs, hazmat response, detection & decon, alarm & suppression systems, fall protection, force protection, extinguishers, hoses and hose assemblies, nozzles, WMD response equipment, environmental control, safety & SAR equipment, and hand tools. Supports a wide variety of missions, such as structural, shipboard, forestry, land based and aircraft rescue, aircraft firefighting, safety/search & rescue and Domestic Preparedness. Whether your mission is structural fire fighting, aircraft/crash rescue, hazardous material response or emergency medical services



### Fire & Emergency Equipment FSC 4210

4210-01-493-4694	Antiflash Hood
4210-01-468-5565	FF Ensemble
4210-01-131-0249	Hose Assembly
4210-01-056-0883	Fire Extinguisher
4210-00-889-2491	Fire Extinguisher
4210-01-144-0291	Fire Extinguisher
4210-01-056-8343	Fire Extinguisher
4210-01-271-8069	Fireman Helmet



Point of Contact: Shirley Jones, (215) 737-4421, DSN 444, [Shirley.Jones@dla.mil](mailto:Shirley.Jones@dla.mil)



- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

Section F  
Miscellaneous Items

Marine Life Saving & Diving



Supporting the Missions of Diving, Lifesaving, Search and Rescue, Tactical, Survival, Aircrew Support, Flight Deck Support, Communications, and Hyperbarics. Products: SCUBA, helmets, rebreather apparatus, litters, harnesses, recompression equipment, communication devices, cylinders, masks, manifolds, tape, compressors, knives, carabineers, ropes, special backpacks, waterproof boots, hydration systems, underwater communications, drysuits, wetsuits, protective clothing, flight deck equipment, egress systems, life rafts, life vests, life preservers, lifesaving rings, and buoys, and associated equipment such as canopies, cases, lanyards, and inflation devices, repair kits for life rafts and life preserves, survival kits, emergency equipment cases, and emergency fishing kits.

Our customer's missions include Special Warfare, Ships Husbandry, Explosive Ordnance Disposal, Underwater Construction, and Mobile Diving and Salvage. Major suppliers of our diving equipment include Aqua Lung/U.S. Divers, Poseidon, Draeger, Dacor, Interspiro, Gates, Typhoon, and Viking.

- 4220-01-487-2932 Life Preserver, Vest
- 4220-01-487-3649 Cover, Life Preserver
- 4220-01-487-2929 Life Preserver,  
Accessories
- 4220-01-470-9906 Auto Inflator, Kit
- 4220-00-920-3651 Inflation Assembly
- 4220-00-275-3156 Ring Buoy, Lifesaving
- 4220-01-003-6763 Life Raft, LRU-16/P
- 4220-01-484-6124 Life Raft, Inflatable
- 4220-01-370-7441 Drysuit, Rescue  
Swimmer
- 4220-00-372-0665 Divers, Knife
- 4220-00-543-6693 O2 Cylinder, Type II,  
28-31 gram
- 4220-01-77-8773 CO2 Cylinder,  
Type III, 34-37 gram



Point of Contact: Ralph Lund, (215) 737-4154, DSN 444, [Ralph.Lund@dla.mil](mailto:Ralph.Lund@dla.mil)

For additional information: <http://www.dscp.dla.mil/gi/general/mardiv.htm>

- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

Section F  
Miscellaneous Items  
Safety & Rescue Equipment

Half & full face respirators, chemical / biological masks, oxygen canisters, harnesses, hoists, helmets, knee-pads, hearing protectors, face-shields, welding goggles, gloves, life vests, earplugs, ergonomic equipment, air monitoring devices, gas detection devices, atmospheric equipment, first aid kits, fall protection devices, SCBA'S, Signage and more. All maritime requirements to include boat equipment, swiftwater rescue gear, and unmanned underwater vehicles are available through the Diving Prime Vendors - Amron International, Atlantic Dive Center, Aquatech Dive Center and Mar-Vel Underwater Equipment. For more information contact: Stephanie Gravitz, [Stephanie.Gravitz@dla.mil](mailto:Stephanie.Gravitz@dla.mil) at DSCP-IDA, (215) 737-4140 or write to the Safety and Rescue Team's general E-mail address, [safety\\_rescue@dscp.dla.mil](mailto:safety_rescue@dscp.dla.mil)



- 4240-01-189-9423 Chem/Bio mask hood  
305022
- 4240-01-217-0046 Breathing Apparatus  
802300-14
- 4240-01-224-4196 Protective Mask Carrier  
Assembly 88CAPM01
- 4240-01-340-6314 Chem/Bio filter element  
243-20005
- 4240-01-246-5407 Respirator Cartridge 7251
- 4240-01-246-5411 Respirator Filter 7090
- 4240-01-458-2115 SCBA 804861-26
- 4240-00-114-7863 Crew Case Assembly
- 4240-01-236-0788 Respirator Cartridge Lens  
473802
- 4240-01-301-3200 Full Respirator Facepiece  
7800S(L)
- 4240-01-504-0994 Goggles, Wiley SG-1
- 4240-01-479-8657 Land Ops Goggles, ESS



Point of Contact: Stephanie Gravitz, (215) 737-4140, DSN 444, [Stephanie.Gravitz@dla.mil](mailto:Stephanie.Gravitz@dla.mil)

- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section F Miscellaneous Items

### Technology & Information Equipment

#### **ADPE & Information**

Our ADP program offers a diverse, state of the art product line. Whether it be ruggedized lap-top computers, notebooks, desktops and LCD portables, towers and changers, rack mount systems, servers, storage systems, printers, PCs, cleaning systems, or floppy disks.

7010 ADPE System Configuration

7020 ADP Central Processing Unit (CPU, Computer), Analog



#### **Telecommunication**

Supports a full line of both commercial and special application products and equipment. Complete range of instrumentation tapes featuring quantity price breaks and choice of inspection levels to speed delivery. Other items include various brands of audio and video tapes, telephones and fax machines. Additionally a number of specification based items are maintained to ensure continued supply availability. Telephone & Telegraph Equipment, Teletype and Facsimile Equipment, Intercommunication & Public Address Systems, Except Airborn, Sound Recording & Reproducing Equipment, Video Recording & Reproducing Equipment

#### **Instrumentation Tapes Catalog**

5835-01-424-4577 Tape, instrumentation recording, 9,200 ft lg., 1 in x 14 in, heavy duty precision reel,

5835-01-424-3641 Tape, instrumentation recording, 10800 ft lg ½ in x 15 in,

#### **Telephone & Telegraph Equipment**


5805-01-439-6634 Avaya Telephone

5805-01-414-6971 Avaya Telephone

5805-01-372-3616 Cortelco Telephone

5815-01-471-2814 Ricoh Fax Machine

5815-01-473-7340 Ricoh Secure Fax Machine



POC: Mary Jane Angelopoulos, (215) 737-4418, DSN 444, [MaryJane.Angelopoulos@dla.mil](mailto:MaryJane.Angelopoulos@dla.mil)

- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Section F Miscellaneous Items

### Imaging

6720-01-504-8509	Kodak DCS 14N, digital camera
6720-01-506-6732	Canon EOS 10D, digital camera
6740-01-500-4560	Kodak Professional ML-500, digital photo print system
6760-01-457-9341	Nikon 28mm Lens
6760-01-503-9114	1664 Photographic Case, Color: black
6750-01-503-4088	9-1/2X250 ARCRM duplicating film



### Office Solutions

The Office Solutions' group has a Blanket Purchase Agreement with Boise Cascade Office Products to provide next day desktop delivery of over 12,600 deeply discounted office products such as but not limited to pens, paper, binders, office furniture and small ADP equipment. The agreement allows for all types of ordering –fax, phone, or Internet- and will accommodate both credit cards and traditional requisitions. Additionally, it is a direct ordering system in which the customer can order using either an NSN or a part number.

The agreement also allows for Boise to partner with other General Services Administration (GSA) schedule holders to provide additional product lines. Under this program, our customers have been able to obtain special package deal values on major purchases involving such diverse offerings as complete office design and furnishings and customized automated processing equipment. In most cases, there are significant cost savings with personalized service every step of the way.



Point of Contact:

Mary Jane Angelopoulos, (215) 737-4418, DSN 444, [MaryJane.Angelopoulos@dla.mil](mailto:MaryJane.Angelopoulos@dla.mil)

- NSN's listed represent a sample of items managed by DSCP.
- Part number items are also available.

## Federal Supply Class (FSC) Index

<b><u>FSC</u></b>	<b><u>Point of Contact</u></b>	<b><u>Item Description</u></b>	<b><u>Phone #</u></b>	<b><u>Page</u></b>
2230	Patricia Lerman	Railroad Equipment	(215) 737-7265	31
2400's	Patricia Lerman	Tractor Equipment	(215) 737-7265	31
3800's	Patricia Lerman	Heavy Equipment: (Earth Moving, Excavator & Crane)	(215) 737-7265	31
3900's	Mark Scott	MHE Products (Pallets, Conveyors, Ramps, etc.)	(215) 737-7531	29-30
3940	Susan Paul	Rigging	(215) 737-6075	32
4020	Susan Paul	Rope	(215) 737-6075	32
4210	Shirley Jones	Fire & Emergency	(215) 737-4421	33
“	Patricia Lerman	Fire & Emergency Equipment	(215) 737-7265	31
4220	Ralph Lund	Marine Life Saving & Diving	(215) 737-4154	34
4240	Stephanie Gravitz	Safety & Rescue	(215) 737-4140	35
4510	Marcia DeGraphenreid	Plumbing	(215) 737-0630	22
4520	Alberta Jones	Space Heaters	(215) 737-8239	5-6
4530	“	“	“	
4600's	Patricia Lerman	Water Equipment	(215) 737-7265	31
4930	Patricia Lerman	Heavy Equipment: (Lubrication & Fuel Dispensing Equip.)	(215) 737-7265	31
5400's	Patricia Lerman	Heavy Equipment: (Prefab. Portable Buildings)	(215) 737-7265	31
5510	Tom Grace	Wood Products	(215) 737-7164	24
5530	“	“	“	
5660	Tom Lauersen Deborah Donnelly	Fencing Materials “	(215) 737-8003 (215) 737-4089	14-19
5675	Deborah Donnelly	Ground Stabilization	(215) 737-4089	8-12
5680	John Martino	“	(215) 737-3928	13

## Federal Supply Class (FSC) Index

<b><u>FSC</u></b>	<b><u>Point of Contact</u></b>	<b><u>Item Description</u></b>	<b><u>Phone #</u></b>	<b><u>Page</u></b>
5800's	MaryJane Angelopoulos	Technology & Info.	(215) 737-4418	36
6220	Tony Armentani	Lights	(215) 737-8047	26
6230	“	Flashlights	“	4
6240	“	Lamps	“	4
6260	“	Lights	“	4
6700's	MaryJane Angelopoulos	Imaging	(215) 737-4418	36
7010	MaryJane Angelopoulos	ADPE System Config.	(215) 737-4418	36
7020	“	ADP CPU	“	
7105	Jim Singer	Cots	(215) 737-3965	4
7240	Bill Austin	Cans	(215) 737-2877	3
8105	Tom Lauersen	Sandbags	(215) 737-8003	19
	Deborah Donnelly	“	(215) 737-4089	
8110	Jim Singer	Drums	(215) 737-3965	3
8115	Jim Singer	Transport Cases	(215) 737-3965	28
8145	Jim Singer	Shelters	(215) 737-3965	7
	“	Containers	“	27
9500's	Bill Austin (Traditional)	Metals	(215) 737-2877	25
	Tom Grace (Prime Vendor)	“	(215) 737-7164	



## Defense Supply Center Philadelphia

700 Robbins Avenue  
Philadelphia, Pennsylvania 19111-5092

1-877-352-2255

Web

<http://www.dsep.dla.mil>

