

Flashlights

LiteBox[®] & Vulcan[™]

The standard in rechargeable Lanterns, LiteBox[®] is joined by its compact, waterproof cousin, Vulcan[™] (waterproof to 100 feet). Both lights feature bi-pin bulbs providing very powerful outputs (up to 70,000 candlepower), plus very long run times (almost 10 hours, depending on model), virtually unbreakable cases and charging/mounting racks which meet NFPA* requirements. Both are available in Standard, Vehicle Mount or Dual Filament versions; LiteBox also offers a unique “smart” Power Failure system. Vulcan is Factory Mutual** approved.



Dual filament bulb provides instant emergency backup when required.



Both LiteBox and Vulcan feature a new sealed beam system. This proprietary design allows easy replacement of halogen or xenon bulbs, minimizing replacement costs, while maximizing performance



NFPA Rack meets requirements of NFPA 1901-10-1.7 mounted in any position



Vulcan: Class I Division 2 Groups A, B, C, D Temperature Rating T2A and Class II, III Division 2 Groups F, G Temperature Rating T3C

Flashlights



- LiteBox® Power Failure System *beige*
- Vulcan™ Standard System *olive drab*
- LiteBox® Standard System *orange*

L I T E B O X ® S t a n d a r d , V e h i c l e M o u n t & P o w e r F a i l u r e S y s t e m s							
B a t t e r y	L a m p	M a t e r i a l	C o l o r	W e i g h t (w i t h b a t t e r y)	D i m e n s i o n s	R u n T i m e	C a n d l e p o w e r
6 Volt, 10 amp hour, sealed lead acid; rechargeable up to 500 times	High-intensity halogen 8 or 20 watt spot or flood, Par 36	High impact ABS thermoplastic housing; rubberized impact bumper, lens ring and cushioned grip handle.	Orange Yellow	7.4 pounds	11.5" (L) x 5.1" (W) x 7" (H)	8 watt = 8 hrs. 20 watt = 3.5 hrs.	8 watt spot up to 50,000 8 watt flood up to 550 20 watt spot up to 70,000 20 watt flood up to 1,400
L I T E B O X ® D u a l F i l a m e n t							
B a t t e r y	L a m p	M a t e r i a l	C o l o r	W e i g h t (w i t h b a t t e r y)	D i m e n s i o n s	R u n T i m e	C a n d l e p o w e r
6 Volt, 10 amp hour, sealed lead acid; rechargeable up to 500 times	High-intensity xenon dual 8 watt spot Par 36	High impact ABS thermoplastic housing; rubberized impact bumper, lens ring and cushioned grip handle.	Orange Yellow	7.4 pounds	11.5" (L) x 5.1" (W) x 7" (H)	8 watt = 8 hrs.	8 watt spot up to 45,000

S y s t e m O p t i o n s	S t r e a m l i g h t P r o d u c t N u m b e r	N S N	
S t a n d a r d 120 V A C & 12 V D C	Orange 45116 (8 W S) 45110 (20 W S) 45111 (20 W F)		
	Yellow 45117 (8 W S) 45109 (20 W S) 45113 (20 W F)		
	V e h i c l e M T (12 V D C)	Orange 45107 (8 W S) 45102 (20 W S)	
		Yellow 45108 (8 W S) 45104 (20 W S)	
	P o w e r F a i l u r e 120 V A C & 12 V D C	Orange 45131 (8 W S) 45127 (8 W F)	
Beige 45133 (8 W S) 45129 (8 W F)			
D u a l F i l a m e n t S t a n d a r d 120 V A C & 12 V D C	Orange 45704 (8 W S)		
	Yellow 45705 (8 W S)		
D u a l F i l a m e n t V e h i c l e M T (12 V D C)	Orange 45706 (8 W S)		
	Yellow 45707 (8 W S)		

Flashlights

Vulcan Standard & Vehicle Mount Systems

Battery	Lamp	Material	Color	Weight (with battery)	Dimensions	Run Time	Candlepower	Streamlight Product Number	NSN
6 Volt, 4 amp hour, sealed lead acid; rechargeable up to 500 times.	High-intensity halogen 3 or 6 watt spot, Par 36	High impact, waterproof, ABS thermoplastic housing; Cushioned grip handle.	Yellow Olive Drab	3.3 pounds	7.5" (L) x 5" (W) x 5.75" (H)	3 watt = 9 hrs 6 watt = 3.75 hrs	3 watt spot up to 25,000 6 watt spot up to 40,000	Standard Yellow 44000 (6WS) Olive Drab 44600 (6WS) Vehicle MT Yellow 44001 (6WS) Olive Drab 44601	

VULCAN™ Dual Filament System

Battery	Lamp	Material	Color	Weight (with battery)	Dimensions	Run Time	Candlepower	Streamlight Product Number	NSN
6 Volt, 4 amp hour, sealed lead acid; rechargeable up to 500 times.	High-intensity xenon dual 6 watt spot, Par 36	High impact, waterproof, ABS thermoplastic housing; Cushioned grip handle.	Yellow Olive Drab	3.3 pounds	7.5" (L) x 5" (W) x 5.75" (H)	6 watt = 3.75 hrs	6 watt spot up to 35,000	Standard Yellow 44200 (6WS) Olive Drab 44620 (6WS) Vehicle Mt Yellow 44201 (6WS) Olive drab 44621 (6WS)	

Both LiteBox and Vulcan can be extensively customized to suit particular situations. Here are some of the accessories available:

- 120V, 230V & 240V AC and 12V DC Charge Cords
- Standard and Direct Wire Mounting/Charging Racks
- Spot and Flood Assemblies
- Bi-pin Bulbs
- Batteries
- Shoulder Strap
- Locking Devices
- Quick-Release Straps



For information and availability on these accessories and replacement parts contact the
DSCP Lighting Team. 1-800-DLA-BULB