



POWER-SAVER Compact Fluorescent Adapters

Two engineering developments differentiate the *PowerSaver* R-Series from any other comparable product on the market. The first development is the spring action locking device. Unlike other securing rings, the "**Secure-Lock**" utilizes spring action to prevent the plastic in the locking channel from being worn down by lowering the friction between the reflector and the critical edge in the locking channel. This feature allows a secure fit for a longer period of time.

Secure-Lock also incorporates the use of a locking pin. This pin acts as a safety latch, preventing the accidental dislodging of the reflector unit from the base and allowing the unit to be installed with a lamp-pole changer. The other development is the use of clear reflectors.

By omitting the frost from the reflector, light levels are increased by as much as five percent, while improving the light configuration. The reflector utilizes an aluminiumized reflective surface and a vented neck ring to prevent cathode heat build-up. The locking ring and special reflector design are two features unique to Trojan, Inc., and makes the R-Series the brightest units of their type on the market. The reflectors offered in this line are the ER-30, R-40, PAR-38, G-40, and G-30. A-BR-40 envelope is offered for special orders only. Options include a high power factor ballast, hard wire bases and colored glass. The ballast housing is molded out of a UL-listed, environmentally friendly plastic. The units are UL-listed and CSA-approved






Trojan, Inc.

LAMP WATTS	BASE	SERIES	BALLAST TYPE FEATURES	MOL INCHES	NAED	NSN
9 Watt Magnetic						
9	MEDIUM	PS1009	Adapter, Use with a 9W TT or DTT Lamp 9 Watt Magnetic	2.37 x 3.50	92101	
	RATCHET	PS2009	Adapter, Use with a 9W TT or DTT Lamp 9 Watt Magnetic	2.75 x 2.30	92201	
	MEDIUM	PS3009	Adapter, Use with a 9W TT or DTT Lamp 9 Watt Magnetic	2.37 x 2.55	92301	
	MEDIUM	PS5009	Adapter, Use with a 9W TT or DTT Lamp	2.37 x 3.77	92501	
13 Watt Magnetic						
13	MEDIUM	PS1013	Adapter, Use with a 13W TT or DTT Lamp 13 Watt Magnetic	2.37 x 3.50	92102	
	RATCHET	PS2013	Adapter, Use with a 13W TT or DTT Lamp 13 Watt Magnetic	2.75 x 2.30	92202	
	MEDIUM	PS3013	Adapter, Use with a 13W TT or DTT Lamp 13 Watt Magnetic	2.37 x 2.55	92302	
	MEDIUM	PS5013	Adapter, Use with a 13W TT or DTT Lamp	2.37 x 3.77	92502	
(Lamps are not included)						



Series 10




Standard Features

- brass base
- cooler operating temperature



Series 20






Standard Features

- ratchet base
- cooler operating temperature



Trojan, Inc.




Standard Features

- brass base
- cooler operating temperature

Standard Features

- designed for H7 cans
- cooler operating temperature

POWER-SAVER Secure Lock Glass Envelopes for Compact Adapters



TYPE	SHELL STYLE	DIMENSIONS	NAED	NSN
BR40	BR40, Reflector Flood	4.50 x 4.95	91033	
G30	G30, Globe White	4.75 x 3.75	91046	
G40	G40, Globe White	5.75 x 4.88	91038	
ER30	ER30, Reflector	3.94 x 3.73	91032	