



DEFENSE SUPPLY CENTER PHILADELPHIA
WEST COAST SUPPORT OFFICE

Excerpt News

Phytosanitary/Quarantine Information

Purdue University CERIS/
USDA-APHIS
27 September 2001
Volume 1, Number 11

Contact: DSCP-WCSO
620 Central Ave, Building 3
Alameda, CA 94501
Commerical 510-337-8122
DSN 686-8122
Email: paa5245@exmail.dscp.dla.mil

REPUBLIC OF KOREA

LAST UPDATED: September 26, 2001

PROHIBITED PRODUCTS

FRUIT AND VEGETABLES ----subject----

?? Host plant parts of sudden oak death (*Phytophthora ramorum*): *Acer macrophyllum*, *Arctostaphylos manzanita*, *Quercus spp.*, *Lithocarpus spp.*, *Rhododendron spp.*, *Arbutus menziesii*, *Vaccinium ovatum*, *Aesculus californica*, *Umbellularia californica*, and *Viburnum bodnantense*

From California counties of Alameda, Marin, Mendocino, Monterey, Napa, San Mateo, Santa Clara, Santa Cruz, Solano, and Sonoma; and from Curry County, Oregon

?? Host plant parts of *Cylas formicarius* (sweet potato weevil) including living vines, stems, leaves, and underground portions

Calystegia spp. (bindweed)

Ipomoea spp. (sweet potato)

Pharbitis spp. (morning-glory)

Manihot esculenta (cassava)--underground portions only

U.S.A. (including Hawaii and Puerto Rico), Africa (all countries), Australia, Bangladesh, Bonin Islands, Brunei, Cambodia, China, Christmas Island, Cocos Island, Hong Kong, India, Indonesia, Iwo Island, Laos, Malaysia, Mexico, Melanesia, Micronesia, Myanmar, New Zealand, Pakistan, Papua New Guinea, Pescadores Islands, Philippines, Polynesia, Ryukyu Islands, Singapore, Sri Lanka, Taiwan, Thailand, Vietnam, Venezuela, West Indies

?? Host plant parts of ***Euscepes postfasciatus*** (West Indian sweet potato weevil) including living vines, stems, leaves, and underground portions

Calystegia spp. (bindweed)

Ipomoea spp. (sweet potato) (living tubers and seed tubers)

Pharbitis spp. (morning-glory)

Hawaii, Brazil, China, Guyana, Melanesia, Micronesia, New Zealand, Peru, Polynesia, Ryukyu Islands, Surinam, Venezuela, West Indies

?? Host plant parts of ***Omphisa anastomosalis*** (sweet potato vine borer)

Ipomoea spp. (sweet potato) (living vines, stems, leaves, and underground portions)

Hawaii, Cambodia, China, Hong Kong, India, Indonesia, Laos, Malaysia, Myanmar, Pakistan, Ryukyu Islands, Singapore, Sri Lanka, Taiwan, Thailand, Vietnam

?? ***Brassica oleracea*** (kale, collard, cabbage, kohlrabi, Chinese kale) because of [***Leptinotarsa decemlineata***](#) (Colorado potato beetle)

U.S.A., Austria, Belarus, Balears Islands, Belgium, Bulgaria, Canada, Channel Islands, Czech Republic, Costa Rica, Denmark, France, Germany, Greece, Hungary, Italy, Lithuania, Luxembourg, Moldova, Netherlands, Poland, Portugal, Romania, Slovak Republic, Spain, Switzerland, Turkey, Ukraine, United Kingdom, Yugoslavia

?? Fruits of apple, pear, peach, apricot, almond, cherry, plum, quince, walnut and *nuts of ***Juglans*** spp. because of ***Cydia pomonella*** (codling moth)

Cydonia spp. (quince)

Juglans spp. (fresh fruit, including kernel) (walnut)

Malus spp. (apple)

Prunus** spp. (peach, apricot, almond, cherry, plum)

Pyrus spp. (pear)

U.S.A. (except Hawaii) (see Mediterranean fruit fly restrictions), Afganistan, Africa (all countries), Argentina, Armenia, Australia, Azerbaijan, Belarus, Brazil, Bolivia, Canada, Chile, China, Colombia, Estonia, Europe (all countries), Georgia, Hong Kong, India, Iran, Iraq, Israel, Jordan, Kazakhstan, Kyrgystan, Latvia, Lebanon, Lithuania, Mexico, Moldova, Myanmar, New Zealand, Pakistan, Peru, Russian Federation, Syria, Tajikistan, Turkey, Turkmenistan, Ukraine, Uruguay, Uzbekistan

See the plant entry for *Prunus*** in the Product Requirements section for special exemption on certain fresh cherry fruit. ([PRUNUS/Fruit](#))

*Shelled vacuum-packed nuts (except shelled walnut meats) are enterable when accompanied by a properly endorsed PPQ form 578 (Processed plant products). Refer to ([/Juglans/fruit/](#)) for special certification requirements regarding shelled walnut meats. ***In shell*** walnuts are prohibited.

?? Host fruit of ***Peronospora tabacina*** (tobacco blue mold) including living vines, stems, and leaves

Solanaceae

U.S.A. (except Hawaii and Puerto Rico), Algeria, Argentina, Armenia, Australia, Azerbaijan, Brazil, Canada, Chile, Cuba, Dominican Republic, Egypt, El Salvador, Europe (all countries), Guatemala, Iran, Iraq, Israel, Jamaica, Jordan, Lebanon, Libya, Lithuania, Mexico, Moldova, Morocco, Mozambique, Myanmar, Rwanda, Syria, Tunisia, Turkey, Ukraine, Uruguay, Yemen, Zaire

?? Host fruit of ****Grapholita inopinata*** (Manchurian apple moth)

Crataegus spp. (hawthorn)

Malus spp. (apple)

China, Hong Kong, Japan

?? All fresh fruit because of ****Ceratitis capitata*** (Mediterranean fruit fly) except the following listed genera:

Ananas comosus (pineapple)

Cocos nucifera (coconut)

Musa spp. (banana) (immature)

Hawaii, Puerto Rico, Africa (all countries), Albania, Argentina, Austria, Australia, Azores Islands, Belgium, Bermuda, Bolivia, Brazil, Chile, Colombia,

Costa Rica, Crete Island, Cyprus, Czech Republic, Ecuador, El Salvador, France, Germany, Greece, Guatemala, Honduras, Hungary, Ireland, Israel, Italy, Jordan, Lebanon, Malta, Mariana Islands, Mexico, Netherlands, Nicaragua, Panama, Paraguay, Peru, Portugal, Saudi Arabia, Slovak Republic, Spain, Surinam, Switzerland, Syria, Turkey, United Kingdom, Uruguay, Venezuela, West Indies, Yugoslavia

?? Host fruit and vegetables of ***Dacus cucurbitae** (melon fly):

Annona spp. (sugar apple)

Artocarpus spp. (breadfruit)

Capsicum spp. (peppers, pimiento)

Carica papaya (papaya)

Citrus spp. (orange, grapefruit, lime, lemon)

Cucurbitaceae including living vines, stems and leaves

Eriobotrya japonica (loquat)

Eugenia spp. (lillypilly)

Ficus spp. (fig)

Fragaria spp. (strawberry)

Lablab purpureus (hyacinth bean)

Lycopersicon lycopersicum (tomato)

Mangifera indica (mango)

Persea americana (avocado)

Phaseolus spp. (beans)

Phoenix dactylifera (date palm)

Psidium guajava (guava)

Prunus armeniaca (apricot)

Prunus persica (peach)

Pyrus spp. (pear)

Solanum melongena (eggplant)

Hawaii, Afganistan, Bangladesh, Brunei, Cambodia, China, Egypt, Hong Kong, India, Indonesia, Kenya, Laos, Malaysia, Mariana Islands, Mauritius, Micronesia, Myanmar, Nepal, Pakistan, Papua New Guinea, Philippines, Reunion, Ryukyu Islands, Singapore, Sri Lanka, Tanzania, Thailand, Vietnam

?? Host fruit and vegetables of ****Dacus dorsalis*** (oriental fruit fly):

Annona spp.

Areca catechu (betel nut)

Arenga engleri

Averrhoa carambola (carambola)

Artocarpus spp.

Cactaceae (cactus fruit)

Capsicum spp. (peppers)

Carica papaya (papaya)

Citrus spp.

Diospyros spp. (persimmons)

Dimocarpus longan (longan)

Eriobotrya japonica (loquat)

Eugenia spp.

Ficus spp. (fig)

Fragaria spp. (strawberry)

Garcinia spp.

Litchi chinensis (lychee)

Lycopersicon lycopersicum (tomato)

Malus spp. (apple)

Mangifera spp. (mango)

Momordica charantia (balsam pear)

Musa spp. (bananas) (mature)

Nephelium lappaceum (rambutan)

Olea spp. (olive)

Passiflora spp. (passion fruit)

Persea americana (avocado)

Phoenix dactylifera (date palm)

Prunus armeniaca (apricot)

Prunus dulcis (almond)

Prunus persica (peach)

Psidium guajava (guava)

Punica granatum (pomegranate)

Pyrus spp. (pear)

Solanum spp.

Sapotaceae

Ziziphus spp. (jujube)

Hawaii, Australia, Bangladesh, Bonin Islands, Brunei, Cambodia, China,
Hong Kong, India, Indonesia, Iwo Island, Laos, Malaysia, Micronesia,

Myanmar, Nepal, Pakistan, Papua New Guinea, Philippines, Ryukyu Islands,
Sikkim, Singapore, Sri Lanka, Taiwan, Thailand

?? Host fruit and vegetables of ***Dacus tryoni** (Queensland fruit fly)

Actinidia chinensis (kiwi)

Anacardium occidentale (cashew)

Annona spp. (sugar apple)

Capsicum spp. (peppers)

Carica papaya (papaya)

Coffea spp. (coffee)

Cucumis sativus (cucumber)

Cydonia spp. (chinese quince)

Diospyros spp. (persimmon)

Eugenia spp. (lillypilly)

Eriobotrya japonica (loquat)

Ficus spp. (fig)

Lycopersicon lycopersicum (tomato)

Mangifera spp. (mango)

Malus spp. (apple)

Morus spp. (mulberry)

Musa spp. (bananas) (mature)

Olea spp. (olive)

Passiflora spp. (passion fruit)

Persea americana (avocado)

Phoenix dactylifera (date palm)

Prunus spp. (peach, apricot, cherry, and plum only)

Psidium guajava (guava)

Punica granatum (pomegranate)

Pyrus spp. (pear)

Rubus spp. (raspberry)

Zizyphus spp. (jujube)

Sapotaceae (star apple, spodilla)

Vitis spp. (grape)

Australia, Easter Island, New Caledonia, New Guinea, Society Islands,
Tubuai Islands

?? Host vegetable tubers of [***Globodera rostochiensis***](#) (golden nematode)

Chenopodium spp. (red goosefoot)

Solanaceae

U.S.A. (New York), Algeria, Argentina, Belarus, Bolivia, Canada, Chile,
Colombia, Ecuador, Estonia, Europe (except Albania, Bulgaria, Hungary,
Romania), Japan (Hokkaido), India, Israel, Latvia, Lebanon, Lithuania,
Mexico, Moldova, Morocco, New Zealand, Panama, Peru, Russian
Federation, Tunisia, South Africa, Ukraine, Venezuela

?? Host vegetable tubers of ****Synchytrium endobioticum*** (potato wart disease)

Solanaceae (egg plant, potato, pepper, tobacco, tomato) living vines, stems
and leaves, and underground portions

Maryland and Pennsylvania, Belarus, Bolivia, Canada, Chile, China, Ecuador,
Europe (except Albania, Greece, Portugal, and Spain), Falkland, Hong Kong,

India, Lithuania, Mexico, Nepal, New Zealand, Peru, South Africa, Ukraine,
Uruguay

?? Underground portions of host plants of Potato yellow dwarf virus

Solanaceae (egg plant, potato, pepper, tobacco, tomato) living vines, stems
and leaves, and underground portions

U.S.A (Florida, Indiana, Maine, Massachusetts, Michigan, Minnesota,
Nebraska, New Jersey, New Hampshire, New York, Ohio, Pennsylvania,
Vermont, Virginia, Wisconsin), Canada

?? Underground portions of host plants of Potato spindle tuber viroid

Solanaceae (egg plant, potato, pepper, tobacco, tomato) living vines, stems
and leaves, and underground portions

U.S.A. (Arizona, California, Colorado, Kansas, Montana, Nebraska, Nevada,
New Mexico, North Dakota, Oklahoma, South Dakota, Utah, Wyoming),
Armenia, Azerbaijan, Belarus, Bulgaria, Canada, Estonia, Kazakhstan,
Kyrgyzstan, Latvia, Lithuania, Moldova, Poland, Russian Federation, South
Africa, Turkmenistan, Ukraine, Uzbekistan

?? All underground portions, including vegetable roots, are prohibited entry
because of ***Radopholus citrophilus*** (citrus burrowing nematode)

Allium porrum (leek)

Ananas comosus (pineapple)

Anthurium spp.

Arachis hypogaea (peanut) (except shelled peanut seeds)

Beta spp. (beet)

Capsicum annuum (red pepper)

Cucumis spp. (melon)
Glycine max (soybean)
Indigofera hirsuta (indigo)
Ipomoeae batatas (sweet potato)
Litchi chinensis (litchi)
Lycopersicon lycopersicum (tomato)
Medicago sativa (alfalfa)
Momordica charantia (balsam pear)
Musa spp. (banana)
Persea americana (avocado)
Phaseolus vulgaris (garden bean)
Piper nigrum (black pepper)
Pinus elliotti (slash pine)
Pinus taeda (loblolly pine)
Rutaceae
Saccharum officinarum (sugarcane)
Zea mays (corn)
U.S.A. including Hawaii

PLANTS ----subject----

?? Host plants of sudden oak death (***Phytophthora ramorum***): ***Acer macrophyllum, Arctostaphylos manzanita, Quercus spp., Lithocarpus spp., Rhododendron spp., Arbutus menziesii, Vaccinium ovatum,***

Aesculus californica*, *Umbellularia californica*, and *Viburnum bodnantense

From California counties of Alameda, Marin, Mendocino, Monterey, Napa, San Mateo, Santa Clara, Santa Cruz, Solano, and Sonoma; and from Curry County, Oregon

?? Host plants of Potato yellow dwarf virus

Solanaceae (egg plant, potato, pepper, tobacco, tomato) living vines, stems and leaves, and underground portions

U.S.A (Florida, Indiana, Maine, Massachusetts, Michigan, Minnesota, Nebraska, New Jersey, New Hampshire, New York, Ohio, Pennsylvania, Vermont, Virginia, Wisconsin), Canada

?? Host plants of Potato spindle tuber viroid

Solanaceae (egg plant, potato, pepper, tobacco, tomato) living vines, stems and leaves, and underground portions

U.S.A. (Arizona, California, Colorado, Kansas, Montana, Nebraska, Nevada, New Mexico, North Dakota, Oklahoma, South Dakota, Utah, Wyoming), Armenia, Azerbaijan, Belarus, Bulgaria, Canada, Estonia, Kazakhstan, Kyrgystan, Latvia, Lithuania, Moldova, Poland, Russian Federation, South Africa, Turkmenistan, Ukraine, Uzbekistan

?? All underground portions, including vegetable roots, are prohibited entry because of ***Radopholus citrophilus*** (citrus burrowing nematode)

Allium porrum (leek)

Ananas comosus (pineapple)

Anthurium spp.

Arachis hypogaea (peanut) (except shelled peanut seeds)

Beta spp. (beet)

Capsicum annuum (red pepper)

Cucumis spp. (melon)

Glycine max (soybean)

Indigofera hirsuta (indigo)

Ipomoeae batatas (sweet potato)

Litchi chinensis (litchi)

Lycopersicon lycopersicum (tomato)

Medicago sativa (alfalfa)

Momordica charantia (balsam pear)

Musa spp. (banana)

Persea americana (avocado)

Phaseolus vulgaris (garden bean)

Piper nigrum (black pepper)

Pinus elliotti (slash pine)

Pinus taeda (loblolly pine)

Rutaceae

Saccharum officinarum (sugarcane)

Zea mays (corn)

U.S.A. including Hawaii

?? Host plants and plant parts (except seeds) of ***Bursaphelenchus xylophilus***

(pine wilt nematode):

Nursery stock and wood of ***Larix*** spp. (larch) and ***Pinus*** spp.(pine)

- U.S.A. (except Hawaii), Canada, China, Japan, Taiwan
- ?? Host plants of *Erwinia amylovora* (fire blight) excluding seeds, but including nursery stocks, scions, and cuttings of:
- Amelanchier*** spp. (service berry)
 - Aronia*** spp. (chokeberry)
 - Chaenomeles*** spp. (flowering quince)
 - Cotoneaster*** spp.
 - Crataegomespilus*** spp.
 - Crataegus*** spp. (hawthorn, thorn, thorn apple, red haw)
 - Cydonia*** spp. (quince)
 - Dichotomanthes*** spp.
 - Eriobotrya*** spp. (loquat, Japanese medlar)
 - Exochorda*** spp. (pearl bush)
 - Holodiscus*** spp.
 - Kerria*** spp. (Japanese rose)
 - Malus*** spp. (apple)
 - Mespilus*** spp. (medlar)
 - Osteomeles*** spp.
 - Peraphyllum*** spp.
 - Photinia*** spp.
 - Physocarpus*** spp. (ninebark)
 - Potentilla*** spp. (cinquefoil, five-finger)
 - Prunus*** spp. (peach, nectarine, apricot, plum)
 - Pyracantha*** spp. (firethorn)

Pyrus spp. (pear)

Raphiolepis spp. (Indian hawthorn, yedda hawthorn)

Sorbaria spp. (false spiraea)

Sorbus spp. (mountain ash, white beam, chess apple)

Spiraea sp.. (spirea)

Stranvaesia spp.

U.S.A., Belgium, Canada, China, Denmark, Egypt, France, Germany, Guatemala, Mexico, Netherlands, New Zealand, Poland, Turkey, United Kingdom, Vietnam

?? Host plant of *Citrus greening disease MLO

Citrus spp. (except seeds) including nursery stock, scions, and cuttings
Africa (all countries), China, Hong Kong, India, Indonesia, Philippines, Taiwan

?? Host plants of *Apple proliferation disease

Malus spp. (apple) (except seeds) including nursery stock, scions, and cuttings

Pyrus spp. (pear) (except seeds) including nursery stock, scions, and cuttings

Austria, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Italy, Latvia, Netherlands, Poland, Romania, Slovak Republic, Switzerland

?? Host plant of Plum pox virus

Prunus spp. (peach, nectarine, plum, apricot) (except seeds) including nursery stock, scions and cuttings

Austria, Azerbaijan, Bulgaria, Czech Republic, Germany, Greece, Hungary,
Italy, Moldova, Poland, Romania, Slovak Republic, Switzerland, Ukraine,
Yugoslavia

SEEDS ----subject----

?? Host plants of sudden oak death (*Phytophthora ramorum*): ***Acer macrophyllum, Arctostaphylos manzanita, Quercus spp., Lithocarpus spp., Rhododendron spp., Arbutus menziesii, Vaccinium ovatum, Aesculus californica, Umbellularia californica,* and *Viburnum bodnantense***

From California counties of Alameda, Marin, Mendocino, Monterey, Napa, San Mateo, Santa Clara, Santa Cruz, Solano, and Sonoma; and from Curry County, Oregon

STEMS, STRAW, AND PROCESSED GOODS ----subject----

?? ***Agropyron*** spp. (wheatgrass)
U.S.A. (except HI) (***Mayetiola destructor*** - Hessian fly)

?? ***Hordeum*** spp. (barley)
U.S.A. (except HI) (***Mayetiola destructor*** - Hessian fly)

?? ***Secale*** spp. (rye)
U.S.A. (except HI) (***Mayetiola destructor*** - Hessian fly)

?? ***Triticum*** spp. (wheat)
U.S.A. (except HI) (***Mayetiola destructor*** - Hessian fly)

VINES, LEAVES, STEMS ----subject----

(including other plant parts)

?? ***Agropyron*** spp. (wheatgrass)

U.S.A., North America (except West Indies), Europe, Algeria, Georgia, Iraq, Israel, Latvia, Kazakhstan, Morocco, New Zealand, Russian Federation, Syria, Tunisia, Turkey, and Ukraine

?? ***Brassica oleracea*** (cabbage)

U.S.A., Austria, Belarus, Baleares Islands, Belgium, Bulgaria, Canada, Channel Islands, Czech Republic, Costa Rica, Denmark, France, Germany, Greece, Hungary, Italy, Lithuania, Luxembourg, Moldova, Netherlands, Poland, Portugal, Romania, Slovak Republic, Spain, Switzerland, Turkey, Ukraine, United Kingdom, Yugoslavia

?? ***Calystegia*** spp. (bindweed)

Hawaii, Brazil, China, Guyana, Melanesia, Micronesia, New Zealand, Peru, Polynesia, Ryukyu Islands, Surinam, Venezuela, West Indies

?? ***Cirsium*** spp. (thistle)

U.S.A., Austria, Belarus, Baleares Islands, Belgium, Bulgaria, Canada, Channel Islands, Czech Republic, Costa Rica, Denmark, France, Germany, Greece, Hungary, Italy, Lithuania, Luxembourg, Moldova, Netherlands, Poland, Portugal, Romania, Slovak Republic, Spain, Switzerland, Turkey, Ukraine, United Kingdom, Yugoslavia

?? ***Cucurbitaceae***

Hawaii, Afganistan, Bangladesh, Brunei, Cambodia, China, Egypt, Hong Kong, India, Indonesia, Kenya, Laos, Malaysia, Mariana Islands, Mauritius,

Micronesia, Myanmar, Nepal, Pakistan, Papua New Guinea, Philippines, Reunion, Ryukyu Islands, Singapore, Sri Lanka, Tanzania, Thailand, Vietnam

?? ***Hordeum*** spp. (barley)

U.S.A., North America (except West Indies), Europe, Algeria, Georgia, Iraq, Israel, Latvia, Kazakhstan, Morocco, New Zealand, Russian Federation, Syria, Tunisia, Turkey, and Ukraine

?? ***Ipomoea*** spp. (sweet potato) (living tubers and seed tubers)

U.S.A. (including Hawaii and Puerto Rico), Africa (all countries), Australia, Bangladesh, Bonin Islands, Brazil, Brunei, Cambodia, China, Christmas Island, Cocos Island, Guyana, Hong Kong, India, Indonesia, Iwo Island, Laos, Malaysia, Mexico, Melanesia, Micronesia, Myanmar, New Zealand, Pakistan, Papua New Guinea, Peru, Pescadores Islands, Philippines, Polynesia, Ryukyu Islands, Singapore, Sri Lanka, Surinam, Taiwan, Thailand, Vietnam, Venezuela, West Indies

?? ***Larix*** spp. (larch)

U.S.A. (except Hawaii), Canada, China, Japan, Taiwan

?? ***Oryza sativa*** (rice)

All countries except Japan and Taiwan

?? ***Pharbitis*** spp. (morning-glory)

Hawaii, Brazil, China, Guyana, Melanesia, Micronesia, New Zealand, Peru, Polynesia, Ryukyu Islands, Surinam, Venezuela, West Indies

?? ***Pinus*** spp. (pine)

U.S.A. (except Hawaii), Canada, China, Japan, Taiwan

?? ***Piper nigrum*** (black pepper)

U.S.A. (except Hawaii), Austria, Belarus, Baleares Islands, Belgium, Bulgaria, Canada, Channel Islands, Czech Republic, Costa Rica, Denmark, France, Germany, Greece, Hungary, Italy, Lithuania, Luxembourg, Moldova, Netherlands, Poland, Portugal, Romania, Slovak Republic, Spain, Switzerland, Turkey, Ukraine, United Kingdom, Yugoslavia

?? ***Secale*** spp. (rye)

U.S.A., North America (except West Indies), Europe, Algeria, Georgia, Iraq, Israel, Latvia, Kazakhstan, Morocco, New Zealand, Russian Federation, Syria, Tunisia, Turkey, and Ukraine

?? ***Solanaceae***

U.S.A. (except Hawaii), Algeria, Argentina, Armenia, Austria, Australia, Azerbaijan, Belarus, Baleares Islands, Belgium, Bolivia, Brazil, Bulgaria, Canada, Channel Islands, Chile, China, Cuba, Czech Republic, Costa Rica, Denmark, Dominican Republic, Ecuador, Egypt, El Salvador, Estonia, Europe (except Albania), Falkland, France, Germany, Greece, Guatemala, Hong Kong, Hungary, India, Italy, Iran, Iraq, Israel, Jamaica, Jordan, Kazakhstan, Kyrgyzstan, Latvia, Lebanon, Libya, Lithuania, Luxembourg, Mexico, Moldova, Morocco, Mozambique, Myanmar, Nepal, Netherlands, New Zealand, Peru, Poland, Portugal, Romania, Russian Federation, Rwanda, Slovak Republic, South Africa, Spain, Syria, Switzerland, Turkmenistan, Tunisia, Turkey, Ukraine, United Kingdom, Uruguay, Uzbekistan, Yemen, Yugoslavia, Zaire

?? ***Triticum*** spp. (wheat)

U.S.A., North America (except West Indies), Europe, Algeria, Georgia, Iraq, Israel, Latvia, Kazakhstan, Morocco, New Zealand, Russian Federation, Syria, Tunisia, Turkey, and Ukraine

WOOD ----subject----

?? Wood (including logs) of ***Acer macrophyllum***, ***Arctostaphylos manzanita***, ***Quercus spp.***, ***Lithocarpus spp.***, ***Rhododendron spp.***, ***Arbutus menziesii***, ***Vaccinium ovatum***, ***Aesculus californica***, ***Umbellularia californica***, and ***Viburnum bodnantense*** because of sudden oak death (***Phytophthora ramorum***).

From California counties of Alameda, Marin, Mendocino, Monterey, Napa, San Mateo, Santa Clara, Santa Cruz, Solano, and Sonoma; and from Curry County, Oregon

?? Logs of ***Larix*** spp. (larch) and ***Pinus*** spp. (pine) because of ***Bursaphelenchus xylophilus*** (pine wilt nematode).

U.S.A. (except Hawaii), Canada, China, Japan, Taiwan

-END-