

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT

1. CONTRACT ID CODE
DO-C1

PAGE 1 OF 2 PAGES

AMENDMENT/MODIFICATION NO. P00008

3. EFFECTIVE DATE Aug 7, 2003

4. REQUISITION/PURCHASE REQ. NO. ARS02-086-000100

5. PROJECT NO. (If applicable)

6. ISSUED BY CODE SP0300

7. ADMINISTERED BY (If other than Item 6) CODE HQ0338

Defense Supply Center Philadelphia
700 Robbins Avenue
Philadelphia, PA 19111-5098
DSCP-HRAA/Debbie Beller
Telephone: 215-737-2967 Fax: 215-737-7774

DCMC Atlanta
805 Walker Street, Suite 1
Marietta, GA 30060-2789

8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code)
SOPAKCO Packaging
PO Box 1047
118 South Cypress Street
Mullins, SC 29574

9A. AMENDMENT OF SOLICITATION NO. (X)

9B. DATED (SEE ITEM 11)

10A. MODIFICATION OF CONTRACT/ORDER NO. X
SP0300-03-D-Z108

10B. DATED (SEE ITEM 13)
03/31/03

CODE 6D623 FACILITY CODE

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers is extended, is not extended.

Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. Accounting and Appropriation Data (If required)
SG 97X4930.5CS0 01 26.0 S33150 Amount: NO CHANGE

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

(X) A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.

X B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).

C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:

D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor is not, is required to sign this document and return _____ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)
MRE XXIII - NSN: 8970-00-149-1094

I. All terms and conditions of the subject contract remain the same except for the following:

(Continued on Page 2)

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print)

16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)
JAMES A. LECOLLIER

15B. CONTRACTOR/OFFEROR

15C. DATE SIGNED

16B. UNITED STATES OF AMERICA BY James A. Lecollier (Signature of Contracting Officer)

16C. DATE SIGNED
8/7/03

(Signature of person authorized to sign)

A. Tab 5, page 46, under Clam Chowder, PCR-C-045, add following changes:

C-2, D, (1), line 2, after "clams" Insert (or fifty percent chopped sea clams and fifty percent ocean clams (Quahogs)

C-2, D, (2), at end of second sentence, Add "Quahogs shall meet the same requirements as the sea clams."

C-3, B, After "Drained chopped clams" Insert 1/. After the formula; Insert Footnote 1/ See C-2, D, (1) &(2).

II. If the contractor incurs increased or decreased costs as a result of this modification the changed costs must be submitted to the ACO within 30 days. If nothing is submitted within 30 days, this modification will be considered finalized at no increased or decreased cost to the Government or the contractor. This does not waive any right of the ACO to review this mod and proceed with a formal finalization of this modification.

SECTION C

This document covers thermostabilized New England-style clam chowder, packaged in a flexible pouch for use by the Department of Defense as a component of operational rations.

C-1 ITEM DESCRIPTION

PCR-C-045 CLAM CHOWDER, NEW ENGLAND-STYLE, PACKAGED IN A FLEXIBLE POUCH, SHELF STABLE

C-2 PERFORMANCE REQUIREMENTS

A. Product standard. A sample shall be subjected to first article or product demonstration model inspection as applicable, in accordance with the tests and inspections of Section E of this Performance-based Contract Requirements document.

B. Commercial sterility. The packaged food shall be processed until commercially sterile.

C. Shelf life. The packaged food shall meet the minimum shelf life requirement of 36 months at 80°F.

D. Appearance.

(1) General. The New England-style clam chowder shall be a uniform mixture of diced potatoes, chopped sea clams (or fifty percent chopped sea clams and fifty percent ocean clams (Quahogs), chopped onion and celery in a creamy sauce. The packaged food shall be free from foreign materials.

(2) Sea Clams. The sea clams shall be coarsely chopped and shall be practically free of shell or shell fragments. The clam pieces shall have a light tan color typical of cooked sea clams. Quahogs shall meet the same requirements as the sea clams.

(3) Potatoes. The potatoes shall be dice sizes typically produced by a 3/8 inch dicer setting. The potato dices shall have a cooked potato color.

(4) Sauce. The sauce shall be a cream color.

E. Odor and flavor. The packaged food shall have an odor and flavor of processed New England-style clam chowder. The packaged food shall be free from foreign odors and flavors.

F. Texture.

(1) Chopped clams. The cooked sea clam pieces shall be firm and slightly chewy.

(2) Potatoes. The potato dices shall be slightly soft to slightly firm.

(3) Sauce. The sauce shall be smooth and moderately thick.

G. Weight.

(1) Net weight. The average net weight shall be not less than 5.0 ounces. No individual pouch shall have a net weight of less than 4.5 ounces.

(2) Drained weight.

a. Diced potato, onion and celery. The average drained weight of potato, onion and celery shall be not less than 1.4 ounces. The drained weight of diced potato, onion and celery in an individual pouch shall be not less than 1.1 ounces.

b. Chopped clams. The average drained weight shall be not less than ~~0.9~~ 0.7 ounces. The drained weight of the clam pieces in an individual pouch shall be not less than 0.5 ounces.

H. Palatability and overall appearance. The finished product shall be equal to or better than the approved product standard in palatability and overall appearance.

I. Analytical requirements.

(1) Fat content. The fat content shall be not greater than 5.0 percent.

(2) Salt content. The salt content shall be not less than 0.5 percent and not greater than 1.3 percent.

C-3 MISCELLANEOUS INFORMATION

THE FOLLOWING IS INFORMATION ONLY TO PROVIDE THE BENEFIT OF PAST GOVERNMENT EXPERIENCE. THIS IS NOT A MANDATORY CONTRACT REQUIREMENT.

A. Ingredients/formulation. Ingredients and formulation percentages for the sauce may be as follows:

<u>Ingredients</u>	<u>Percent by weight</u>
Water and clam broth	84.27
Dry cream	4.91
Modified high opacity starch <u>1/</u>	4.25
Powdered vegetable shortening	2.90
Dehydrated chopped onion	2.20
Salt <u>2/</u>	0.67
Dehydrated chopped celery	0.67
Ground white pepper	0.13

1/ The total amount of starch in the sauce formula may be adjusted, if necessary, to ensure compliance with the finished product viscosity requirements.

2/ The total amount of salt in the sauce formula may be adjusted as necessary to produce a product that complies with the finished product salt requirement.

B. Product preparation. Percentages for product preparation may be as follows:

<u>Ingredients</u>	<u>Percent by weight</u>
Sauce	66.00
Dehydrofrozen diced (3/8 inch) potatoes, blanched	19.00
Drained chopped clams <u>1/</u>	15.00

1/ See C-2, D, (1) & (2).

NOTES:

Powdered vegetable shortening used was Centenial IX supplied by Diehl, Inc.
Dry cream used was Melocrema 720M, supplied by Kerry Ingredients
Canned chopped sea clams used were supplied by HALLSMITH SYSCO, Norton, MA

Preparation.

Potatoes should be blanched to approximately 1.5 times the starting weight.

SECTION D

D-1 PACKAGING

Product shall be filled into pouches and each pouch shall be packed in a carton in accordance with MIL-PRF-44073, Packaging of Food in Flexible Pouches.

D-2 LABELING

A. Pouches. Each pouch shall be clearly printed or stamped, in a manner that does not damage the pouch, with permanent black ink or any other contrasting color, which is free of carcinogenic elements. Prior to thermal processing of the pouches, the product name, lot number and filling equipment number shall be applied. All other marking may be applied before or after thermal processing.

- (1) Product name (not less than 1/8 inch high). Commonly used abbreviations may be used when authorized by the inspection agency.
- (2) Pouch code includes: 1/

Lot Number
Filling equipment identification number
Official establishment number (for example, EST-38)
Retort identification number
Retort cook number

1/ The lot number shall be expressed as a four digit Julian code. The first digit shall indicate the year of production and the next three digits shall indicate the day of the year (Example, 25 October 2001 would be coded as 1298). The Julian code shall represent the day the product was packaged into the pouch and processed. Sub-lotting (when used) shall be represented by an alpha character immediately following the four digit Julian code. Following the four digit Julian code and the alpha character (when used), the other required code information shall be printed in the sequence as listed above

B. Cartons.

- (1) The cartons shall be clearly printed on one of the largest panels with permanent black ink as follows:

Product name (7/32 to 9/32 inch block letters)
Ingredients
Net weight
Name and address of packer
Code (same as pouch code, see pouches) 1/ 2/
USDA official inspection legend for the packer's plant
"Nutrition Facts" label in accordance with the Nutrition Labeling and Education Act (NLEA) and all applicable FDA/USDA regulations

1/ Code may be ink printed on any outside carton panel. Code may be embossed on any outside carton panel except the largest panels of the carton.

2/ Official establishment number not required in carton code.

(2) Military nutrition information entitled "Military Rations Are Good Performance Meals" shall be printed on the entrée cartons large panel opposite to the panel printed with the data in D-2, B, (1) above. The information, provided by the contracting officer, shall be clearly printed with permanent black ink in an area no smaller than 3-3/4 inches by 5-3/4 inches.

D-3 PACKING

A. Packing for shipment to ration assembler. Seventy-two pouches (of the same product) in cartons shall be packed flat or on edge in a snug-fitting fiberboard shipping container conforming to style RSC, type CF, class domestic, grade 200 of ASTM D 5118, Standard Practice for Fabrication of Fiberboard Shipping Boxes. Each container shall be securely closed in accordance with ASTM D 1974, Standard Practice for Methods of Closing, Sealing, and Reinforcing Fiberboard Shipping Containers.

D-4 MARKING

A. Shipping containers. Shipping containers shall be marked in accordance with DPSC Form 3556, Marking Instructions for Shipping Cases, Sacks and Palletized/Containerized Loads of Perishable and Semiperishable Subsistence.

SECTION E INSPECTION AND ACCEPTANCE

The following quality assurance criteria, utilizing ANSI/ASQC Z1.4-1993, Sampling Procedures and Tables for Inspection by Attributes, are required. When required, the manufacturer shall provide the certificate(s) of conformance to the appropriate inspection activity. Certificate(s) of conformance not provided shall be cause for rejection of the lot.

A. Definitions.

(1) Critical defect. A critical defect is a defect that judgment and experience indicate would result in hazardous or unsafe conditions for individuals using, maintaining, or depending on the item; or a defect that judgment and experience indicate is likely to prevent the performance of the major end item, i.e., the consumption of the ration.

(2) Major defect. A major defect is a defect, other than critical, that is likely to result in failure, or to reduce materially the usability of the unit of product for its intended purpose.

(3) Minor defect. A minor defect is a defect that is not likely to reduce materially the usability of the unit of product for its intended purpose, or is a departure from established standards having little bearing on the effective use or operation of the unit.

B. Classification of inspections. The inspection requirements specified herein are classified as follows:

(1) Product standard inspection. The first article or product demonstration model shall be inspected in accordance with the provisions of this document and evaluated for overall appearance and palatability. Any failure to conform to the performance requirements or any appearance or palatability failure, shall be cause for rejection of the lot. The approved first article or product demonstration model shall be used as the product standard for periodic review evaluations. All food components that are inspected by the USDA shall be subject to periodic review sampling and evaluation. The USDA shall

select sample units during production of contracts and submit them to the following address for evaluation:

US Army Soldier & Biological Chemical Command
Soldiers System Ctr., Natick Soldier Center
Attn: AMSSB-RCF-F(N)
15 Kansas Street
Natick, MA 01760-5018

One lot shall be randomly selected during each calendar month of production. Six (6) sample units of each item produced shall be randomly selected from that one production lot. The six (6) sample units shall be shipped to Natick within five working days from the end of the production month and upon completion of all USDA inspection requirements. The sample units will be evaluated for the characteristics of appearance, odor, flavor, texture and overall quality.

(2) Conformance inspection. Conformance inspection shall include the examinations/tests and methods of inspection cited in this section and in Section 4 of MIL-PRF-44073.

E-5 QUALITY ASSURANCE PROVISIONS (PRODUCT)

A. Product examination. The finished product shall be examined for compliance with the performance requirements specified in Section C of this Performance-based Contract Requirements document utilizing the double sampling plans indicated in ANSI/ASQC Z1.4 - 1993. The lot size shall be expressed in pouches. The sample unit shall be the contents of one pouch. The inspection level shall be S-3 and the acceptable quality level (AQL), expressed in terms of defects per hundred units, shall be 1.5 for major defects and 4.0 for minor defects. Defects and defect classifications are listed in table I. For drained weight inspection, a separate set of pouches shall be selected from the lot using the same sampling criteria as above. The pouches shall be immersed in 140°F to 190°F water for 10 minutes prior to conducting the product examination and the drained weight inspection.

TABLE I. Product defects 1/ 2/ 3/

Category		Defect
Major	Minor	
		<u>Appearance</u>
101		Product not New England-style clam chowder consisting of a uniform mixture of diced potatoes, chopped sea clams (See C-2, D, (1) & (2), chopped onion and celery in a creamy sauce.
102		Shell or shell fragment measuring more than 0.3 inch in any dimension.
	201	Clam pieces not cooked sea clam color.
	202	Potato dices do not have a cooked potato color.
	203	Sauce not a cream color.
		<u>Odor and flavor</u>
103		Odor or flavor not cooked New England-style clam chowder.
		<u>Texture</u>
	204	Clam pieces not firm or not slightly chewy.
	205	Potato dices not slightly soft to slightly firm.
	206	Sauce not smooth or not moderately thick.
		<u>Weight</u>
	207	Net weight of an individual pouch less than 4.5 ounces. <u>4/</u>
	208	Drained weight of diced potato, onion and celery in an individual pouch less than 1.1 ounces. <u>5/</u>
	209	Drained weight of clam pieces in an individual pouch less than 0.5 ounces. <u>6/</u>

1/ Presence of any foreign material such as, but not limited to dirt, insect parts, hair, wood, glass, metal, or mold, or foreign odors or flavors such as, but not limited to burnt, scorched, rancid, sour, or stale shall be cause for rejection of the lot.

2/ Finished product not equal to or better than the approved product standard in palatability and overall appearance shall be cause for rejection of the lot.

3/ Machine setting requirement for potato dices shall be verified with the producer's certificate of conformance.

4/ Sample average net weight less than 5.0 ounces shall be cause for rejection of the lot.

5/ Sample average drained weight of diced potato, onion and celery less than 1.4 ounces shall be cause for rejection of the lot.

6/ Sample average drained weight of clam pieces less than 0.7 ounces shall be cause for rejection of the lot.

B. Methods of inspection.

- (1) Commercial sterility. Testing for commercial sterility shall be in accordance with MIL-PRF-44073.
- (2) Shelf life. The contractor shall provide a certificate of conformance that the product has a 3 year shelf life when stored at 80°F. Government verification may include storage for 6 months at 100°F or 36 months at 80°F. Upon completion of either storage period, the product will be subjected to a sensory evaluation panel for appearance and palatability and must receive an overall score of 5 or higher based on a 9 point hedonic scale to be considered acceptable.
- (3) Net weight. The net weight of the filled and sealed pouches shall be determined by weighing each sample on a suitable scale tared with a representative empty pouch. Results shall be reported to the nearest 0.1 ounce.
- (4) Drained weight. The pouch contents shall be poured into a flat-bottom container. A minimum of three times the volume of the pouch of 180°F to 190°F water shall be added to the container so as to cover the contents. The contents and water shall be gently agitated so as to liquefy rendered fat and to remove the sauce without breaking the potato dices. The contents shall then be poured into a U.S. Standard No. 7 sieve in a manner that will distribute the product over the sieve without breaking the potato dices. The sieve area shall be such that the distributed product does not completely cover all the openings of the sieve. The sieve shall be tilted at approximately a 45° angle and allowed to drain for 2 minutes before determining the drained weight by subtracting the sieve tare weight from the gross weight. The drained weight shall be reported to the nearest 0.1 ounce.
- (5) Analytical. The sample to be analyzed shall be a composite of eight filled and sealed pouches that have been selected at random from one production lot. The composite sample shall be prepared and analyzed in accordance with the latest edition of the Official Methods of Analysis of AOAC International (OMA). Test results shall be reported to the nearest 0.1 percent. Verification will be conducted through actual testing by a Government laboratory. Any result not conforming to the analytical requirements shall be cause for rejection of the lot.

E-6 QUALITY ASSURANCE PROVISIONS (PACKAGING AND PACKING MATERIALS)

A. Packaging and labeling.

(1) Pouch material testing. The pouch material shall be examined for the characteristics listed in table I of MIL-PRF-44073. The lot size, sample unit, and inspection level criteria for each of the test characteristics are listed below. Any test failure shall be classified as a major defect and shall be cause for rejection of the lot.

Characteristic	Lot size expressed in	Sample unit	Inspection level
Oxygen transmission rate	yards	1/2 yard	S-1
Water vapor transmission rate	yards	1/2 yard	S-1
Camouflage	yards	1/2 yard	S-1
Thermal processing	pouches	1 pouch	S-2
Environmental conditions	pouches	1 pouch	S-2

(2) Pouch examination. The pouches shall be examined for the defects listed in table II of MIL-PRF-44073. The lot size shall be expressed in pouches. The sample unit shall be one thermal processed pouch. The inspection level shall be I and the AQL, expressed in terms of defects per hundred units, shall be 0.65 for major A defects, 2.5 for major B defects, and 4.0 for minor defects. Two hundred sample units shall be