

SECTION CC-1 NSN/ITEM DESCRIPTION

PCR-B-0003 BEEF FRANKFURTERS, PACKAGED IN A FLEXIBLE POUCH, SHELF STABLE

Each component is consumed by combat personnel under worldwide environmental extremes as part of an operational ration, and is a source of nutritional intake. It is essential that this item be produced in accordance with good commercial practice to attain high standards of appearance, odor, flavor, and texture so that high levels of troop acceptance are achieved.

C-2 PERFORMANCE REQUIREMENTS

A. First article. A sample shall be subjected to first article inspection in accordance with the tests and inspections of Section E of this Performance-based Contract Requirements.

B. Commercial sterility. The packaged food shall be processed until commercially sterile.

C. Shelf life. The packaged food shall meet the minimum shelf life requirement of 36 months at 80°F.

D. Appearance. The finished product shall have the characteristics of all beef frankfurters. The frankfurters shall be intact and shall be uniform in diameter and length after cooking. The frankfurters shall possess a light smoke color. The packaged food shall be free of splits, ruptures, bone, or bone fragment.

E. Odor and flavor.

(1) General. The packaged food shall have a well blended, slightly smoked, odor and flavor.

(2) Foreign. The packaged food shall be free from foreign odors and flavors such as, but not limited to, burnt, scorched, rancid, sour, or stale.

F. Texture. The texture of the frankfurters shall be moist and firm.

G. Weight.

(1) Drained weight. The average drained weight of frankfurters shall be not less than 3.8 ounces. The drained weight of four intact frankfurters in an individual pouch shall be not less than 3.5 ounces.

H. Palatability. The finished product shall be equal to or better than the approved first article, when applicable, or other approved model in palatability and overall appearance.

SECTION C CONTINUEDI. Nutrient content.

(1) Protein content. The protein content shall be not less than 13.3 percent.

(2) Fat content. The fat content shall be not greater than 23.0 percent.

(3) Salt content. The salt content shall be not greater than 2.5 percent.

C-3 MISCELLANEOUS INFORMATION

A. Ingredients and formulation. Ingredients and formulation percentages may be as follows:

<u>Ingredients</u>	<u>Percent by weight</u>
Beef, coarse ground	94.888
Salt	2.500
Sugar, white, granulated	1.000
Mustard flour	0.950
Sodium tripolyphosphate	0.450
Pepper, black, ground	0.100
Pepper, red, ground	0.050
Sodium erythorbate	0.050
Sodium nitrite	0.012

SECTION DD-1 PACKAGING

A. Product shall be filled into pouches and pouches shall be filled into cartons, both of which shall meet the requirements of Section 3 and Figures 1 and 2 of MIL-PRF-44073. Verification testing and inspection of pouch and carton conformance to the requirements shall be by the testing and inspections of Section 4 of MIL-PRF-44073 and the Quality Assurance Provisions of Section E of this Performance-based Contract Requirements.

D-2 LABELING

A. Pouches. Each pouch shall be clearly printed or stamped, in a manner that does not damage the pouch, with permanent black ink or any other contrasting color, which is free of carcinogenic elements or ingredients. To avoid erroneous marking of pouches, the product name, lot number and filling equipment number shall be applied prior to thermal processing. All other marking may be applied before or after thermal processing.

(1) Product name (1/8 to 7/16 inch block letters). Commonly used abbreviations may be used when authorized by the inspection agency.

- (2) Pouch code includes: 1/
Lot Number
Filling equipment identification number
Official establishment number (for example, EST-38) (applicable to class 1 and 3 only)
Retort identification number
Retort cook number

1/ Shall be code marked as follows: The lot number shall be expressed as a four digit Julian code. The first digit shall indicate the year of production and the next three digits shall indicate the day of the year (Example, July 1, 1997 would be coded as 7182). The Julian code shall represent the day the product was packaged into the pouch and processed. Sub-lotting (when used) shall be represented by an alpha character immediately following the four digit Julian code. Following the four digit Julian code and the alpha character (when used), the other required code information shall be printed in the sequence as listed above. For food products that do not require an establishment number, the Julian code shall be preceded by three capital letters, which represent the packer's name.

B. Cartons.

(1) The cartons shall be clearly printed on one of the largest panels with permanent black ink as follows:

Product name (7/32 to 9/32 inch block letters).
Ingredients.
Net weight.
Name and address of packer.
Code (same as pouch code, see pouches). 1/ 2/

SECTION D CONTINUED

USDA approval stamp for the packers plant (applicable to meat and poultry items only).
"Nutrition Facts" label in accordance with the Nutrition Labeling and Education Act (NLEA) and all applicable FDA/USDA regulations.

1/ Code may be embossed on the outside of any panel except the largest panels of the carton.

2/ Official establishment number not required in carton code.

(2) Military nutrition information entitled "Military Rations Are Good Performance Meals" shall be printed on the large carton panel opposite to the panel printed with the data in D-2, B.(1). The information, provided by the contracting officer, shall be clearly printed with permanent black ink in an area no smaller than 4-1/4 inches by 6-3/4 inches.

D-3 PACKING

A. Packing for shipment to ration assembler. Seventy-two pouches (of the same product) in cartons shall be packed flat or on edge in a snug-fitting fiberboard shipping container conforming to style RSC, type CF, class domestic, grade 200 of ASTM D 5118, Standard Practice for Fabrication of Fiberboard Shipping Boxes. Each container shall be securely closed in accordance with ASTM D 1974, Standard Practice for Methods of Closing, Sealing, and Reinforcing Fiberboard Shipping Containers.

D-4 MARKING

A. Shipping containers. Shipping containers shall be marked in accordance with DPSC Form 3556, Marking Instructions for Shipping Cases, Sacks and Palletized/Containerized Loads of Perishable and Semiperishable Subsistence.

SECTION E INSPECTION AND ACCEPTANCEE-6 QUALITY ASSURANCE PROVISIONSDefinitions.

(1) Critical defect. A critical defect is a defect that judgment and experience indicate would result in hazardous or unsafe conditions for individuals using, maintaining, or depending on the item; or a defect that judgment and experience indicate is likely to prevent the performance of the major end item, i.e., the consumption of the ration.

(2) Major defect. A major defect is a defect, other than critical, that is likely to result in failure, or to reduce materially the usability of the unit of product for its intended purpose.

(3) Minor defect. A minor defect is a defect that is not likely to reduce materially the usability of the unit of product for its intended purpose, or is a departure from established standards having little bearing on the effective use or operation of the unit.

Quality Assurance Provisions.

The following quality assurance criteria, utilizing ANSI/ASQC Z1.4-1993, Sampling Procedures and Tables for Inspection by Attributes, are recommended.

A. Classification of inspections. The inspection requirements specified herein are classified as follows:

(1) First article inspection. The first article shall be inspected in accordance with the provisions of this Performance-based Contract Requirements and evaluated for overall appearance and palatability. Any failure to conform to the performance requirements or any appearance or palatability failure shall be cause for rejection of the first article.

(2) Conformance inspection. Conformance inspection shall include the product examination and the methods of inspection cited in this section.

* B. Product examination. The finished product shall be examined for compliance with the performance requirements specified in Section C of this Performance-based Contract Requirements utilizing the double sampling plans indicated in ANSI/ASQC Z1.4 - 1993. The lot size shall be expressed in pouches. The sample unit shall be the contents of one pouch. The inspection level shall be S-3 and the acceptable quality level (AQL), expressed in terms of defects per hundred units, shall be 1.5 for major defects and 4.0 for minor defects. Defects and defect classifications are listed in Table I. For drained weight inspection, a separate set of pouches shall be selected from the lot using the same sampling criteria as above. The pouches shall be immersed in 140°F to 190°F water for 10 minutes prior to the drained weight inspection.

SECTION E CONTINUED

TABLE I. Product defects 1/ 2/

<u>Category</u>		<u>Defect</u>
<u>Major</u>	<u>Minor</u>	
		<u>Appearance</u>
101		Bone or bone fragment measuring more than 0.3 inch in any dimension
102		Frankfurters not intact
103		Frankfurters split or ruptured <u>3/</u>
104		Frankfurters not a light smoke color
105		Frankfurters not all beef
	201	Frankfurters not uniform in diameter or length
		<u>Odor and flavor</u>
106		Odor or flavor not well blended, slightly smoked
		<u>Texture</u>
	202	Frankfurters not moist or not firm
		<u>Weight</u>
	203	Drained weight of four intact frankfurters in an individual pouch less than 3.5 ounces <u>4/</u>

1/ Presence of any foreign odors and flavors such as, but not limited to burnt, scorched, rancid, sour, or stale shall be cause for rejection of the lot.

2/ Finished product not equal to or better than the approved first article, when applicable, or other approved model in palatability and overall appearance shall be cause for rejection of the lot.

3/ Splits and/or ruptures which occur as a result of frankfurter expansion during retorting shall not measure more than 1/2 inch in any dimension. Peeler marks, indentations, or slight lengthwise scores shall not be classified as defects.

4/ If the sample average drained weight is less than 3.8 ounces, the lot shall be rejected.

SECTION E CONTINUEDC. Methods of inspection.

(1) Commercial sterility. Testing for commercial sterility shall be in accordance with MIL-PRF-44073.

* (2) Shelf life. The contractor shall provide a certificate of conformance that the product has a 3 year shelf life when stored at 80°F. Government verification may include storage for 6 months at 100°F or 36 months at 80°F. Upon completion of either storage period, the product will be subjected to a sensory evaluation panel for appearance and palatability and must receive an overall score of 5 or higher based on a 9 point hedonic scale to be considered acceptable.

(3) Drained weight. The pouch contents shall be poured into a flat-bottom container. A minimum of three times the pouch's volume of 180°F to 190°F water shall be added to the container so as to cover the contents. The contents and water shall be gently agitated so as to liquefy rendered fat without breaking the frankfurters. The contents shall then be poured into a U.S. Standard 1/4 inch sieve in a manner that will distribute the product over the sieve without breaking the frankfurters. The sieve area shall be such that the distributed product does not completely cover all the openings of the sieve. The sieve shall be tilted at approximately a 45° angle and allowed to drain for 2 minutes before determining the drained weight by subtracting the sieve tare weight from the gross weight. The drained weight shall be reported to the nearest 0.1 ounce.

(4) Nutrient content. The sample to be analyzed shall be a composite of eight filled and sealed pouches which have been selected at random from the lot. The composited sample shall be prepared (see NOTE) and analyzed for protein content, fat content, and salt content in accordance with the following methods of the Official Methods of Analysis of AOAC International:

<u>Test</u>	<u>Method Number</u>
Protein	984.13
Fat	960.39, 985.15
Salt	935.47

Test results shall be reported to the nearest 0.1 percent. Any result not conforming to the requirements specified in Section C of this Performance-based Contract Requirements shall be cause for rejection of the lot.

NOTE: The USDA will use AOAC method 983.18 for preparation of the sample.

SECTION J REFERENCE DOCUMENTS

DPSC FORM

DPSC FORM 3556 Marking Instructions for Shipping Cases, Sacks and Palletized/Containerized Loads of Perishable and Semiperishable Subsistence, May 96

FEDERAL SPECIFICATION

FED-STD-595 - Colors Used in Government Procurement

MILITARY SPECIFICATION

MIL-PRF-44073 - Packaging of Food in Flexible Pouches

NON-GOVERNMENTAL STANDARDS

AMERICAN SOCIETY FOR QUALITY CONTROL (ASQC)

ANSI/ASQCZ1.4-1993 - Sampling Procedures and Tables for Inspection by Attributes

AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

D 1974 - Standard Practice for Methods of Closing, Sealing, and Reinforcing Fiberboard Shipping Containers

D 3985 - Oxygen Gas Transmission Rate Through Plastic Film and Sheeting Using a Coulometric Sensor

D 5118 - Standard Practice for Fabrication of Fiberboard Shipping Boxes

F 372 - Standard Test Method for Water Vapor Transmission of Flexible Barrier Materials Using an Infrared Detection Technique

AOAC INTERNATIONAL

Official Methods of Analysis of the AOAC International

AMSSB-RCF-FN (Valvano/4259)

8 April 2002

TO: DSCP-HRAA (LeCollier/3625)

Subject: (ES02-105) Technical Inquiry; Various MRE Documents (listing below); Clarify Carton labeling information

Ref: Quality Summit Mar 13, 2002, Industry One on One Sessions.

1. Based on discussions at referenced meeting, the U.S. Army Soldier and Biological Chemical Command, Soldier Systems Center (SBCCOM) has decided to clarify the carton labeling information since the requirement as written has been misinterpreted.

2. SBCCOM requests that DSCP implement the following change to the listed subject documents for all current, pending and future procurements until the documents are formally amended or revised:

In Section D, D-2 Labeling, B Cartons: Delete Footnote 1 entirely and insert:

"1/ Code may be ink printed on any outside carton panel. Code may be embossed on any outside carton panel except the largest panels of the carton."

3. The affected MRE entrée related documents are as follows:

Clam Chowder, New England style, Pouch	PCR-C-045	25 Oct 01
Pork Rib, Boneless, Imitation, Pouch	PCR-P-028	25 Oct 01
Fruits, Wet Pack, Pouch	PCR-F-002A	24 Oct 01
Vegetable Manicotti, Pouch	PCR-V-002	24 Oct 01
Beef Roast w/Vegetables, Pouch	PCR-B-035	24 Oct 01
Chili and Macaroni, Pouch	PCR-C-027	15 Nov 00
Beef Stew, Pouch	PCR-B-020	15 Nov 00
Beef Ravioli in Meat Sauce, Pouch	PCR-B-021	15 Nov 00
Beef w/Mushrooms in Sauce, Pouch	PCR-B-022	15 Nov 00
Beef Patty, Grilled, Pouch	PCR-B-029	15 Nov 00
Beefsteak, Grilled w/Mushroom Gravy, Pouch	PCR-B-030	15 Nov 00
Pork Chop, Jamaican, Pouch	PCR-P-012	15 Nov 00
Seafood Tortellini, Pouch	PCR-S-011	15 Nov 00
Turkey Breast, in Gravy w/Potatoes, Pouch	PCR-T-004	15 Nov 00
Country Captain Chicken, Pouch	PCR-C-019A	31 Jul 00
Jambalaya w/Ham & shrimp, Pouch	PCR-J-001	30 Sep 99
Beef Enchilada in Sauce, Pouch	PCR-B-010 (1)	30 Sep 99
Potatoes, Mashed, Pouch	PCR-P-011	30 Sep 99
Black Bean and Rice Burrito, Pouch	PCR-B-0002	17 Dec 97
Spaghetti w/Meat Sauce, Pouch	PCR-S-0002	5 Nov 97
Pork Chow Mein, Pouch	PCR-P-0002	5 Nov 97
Chicken and Rice, Pouch	PCR-C-0005	5 Nov 97
Chicken Stew, Pouch	PCR-C-0006	5 Nov 97
Beef Frankfurters, Pouch	PCR-B-0003	5 Nov 97
Pasta w/Vegetables in Cheese Sauce, Pouch	PCR-P-0001	22 Sep 97
Noodles, Buttered, Pouch	PCR-N-0001	22 Sep 97
Meatloaf w/Gravy, Pouch	PCR-M-0001	22 Sep 97

Chicken Breast w/Salsa, Pouch	PCR-C-0002	22 Sep 97
Chicken Breast in Thai Sauce, Pouch	PCR-C-0003	22 Sep 97
Beef in Teriyaki Sauce w/Vegetables, Pouch	PCR-B-0001	22 Sep 97
Apple Slices in Spice Sauce, Pouch	PCR-A-0001	4 Apr 97

4. Several MRE related component documents, i.e. breads, cakes, cookies, do not require a carton.

5. Several MRE entrée related documents from the Oct 1998 time frame did not contain the specific labeling of pouches and cartons inclusively. They referenced MIL-PRF-44073 in the Section D requirements.

Page 2
ES02-105

6. Therefore, SBCCOM requests that DSCP implement the following change to the Quality Assurance Provisions and Packaging Requirements for MIL-PRF-44073E Packaging of Foods in Flexible Pouches for all current and pending procurements until the document is formally amended or revised:

In III, A, 1 Labeling and marking, b, Cartons: Delete Footnote 1 entirely and insert:

"1/ Code may be ink printed on any outside carton panel. Code may be embossed on any outside carton panel except the largest panels of the carton."

DONALD A. HAMLIN
Team Leader
Food Engineering Services Team
Combat Feeding Program

CF: NSC:
Alyward
Friel
Hamlin
Hill
Konrady A.
Konrady M.
Moody
Richards
Sherman
Trottier
Valvano

R Valvano

CF: DSCP & SVCs:
Anthony
Arthur
Beward
Charette
Ferrante
Galligan
Hoffman
Lowry
Malason
Richardson H.
Salerno